



Mailing
Postage Meters

DM195™ SL Digital postage meter

Connected metering for real-time productivity.



Experience mailroom productivity and greater ease of use.

The DM195™ SL Digital postage meter uses the very latest technologies to achieve fast, connected and accurate mail processing... all within a connected environment.



Simplify your mailing operations with SmartLink working behind the scenes so your mailing system stays up-to-date.

Boost productivity with digital technology.

Maximum productivity and connectivity is crucial for business today. By simplifying your mail processing, you can regain control of your communications. Pitney Bowes DM195 SL desktop mailing systems makes it easy.

By delivering the efficiency and accuracy you need, you can configure a solution that's ideal for your operations. Powered by our SmartLink™ technology, the DM195 SL streamlines your shipping and mailing, reduces costs and provides revenue-generating opportunities.

Mailing made simple with SmartLink™.

Keeping the DM195 SL current and operating at maximum efficiency is simple. SmartLink™ gives you a digital connection to make it easy and convenient to update postal rates, software and graphics.

The benefits of your cloud connected DM195 SL meter include:

- Automatic postal rate updates and software updates.
- Remote diagnostics with support and error troubleshooting notifications.
- Our Customer Care Team can help you in real-time with precise information about the status of your meter functionality, funds, low ink alerts and connectivity.

Manage your mail efficiently and accurately.

- Automatic feed speeds processing.
- Process up to 40 letters per minute.
- 5kg integrated scale as standard.

Improve costs via flexible printing.

Eliminate costly pre-printed envelopes with:

- The included six standard slogans and one custom slogan. (Additional custom slogans can be added).
- Preloaded graphics, logos and up to 20 stored promotional messages.

Internal rating function.

Select the most effective and economical postage rate automatically.

Instant online refill postage.

Access postage replenishment online, 24/7.

Auto-dating eliminates returned mail.

The internal clock automatically changes the date. With the manual option, you can advance the date when processing mail for a later delivery.

Manage rate changes with ease.

SmartLink™ technology automates postage rate changes directly into your connected device, so your rates are always up to date.



¹ Speed varies dependent on model.

Specifications

Size	257mm (H), 470mm (W), 401mm (D)
Weight	6.8kg approximately
Electrical	100-240VAC, 50/60Hz, 1.0A
Media sizes	Minimum 76mm x 127mm, Maximum 330mm x 381mm
Media thickness	Minimum 0.18mm, Maximum 9.5mm
Flap Depth	Minimum 22mm, Maximum 76mm
Job presets	11 (1 normal and 10 custom)
Integrated weighing	5 kg capacity
Approvals	C-tick, FCC compliant, ICES-003 compliant, TUV Rhineland, CE, CB Scheme, ENERGY STAR® compliant
Connectivity requirement	Internet/Ethernet standard, WiFi and cellular WiFi compatible
Postal compliance	Australia Post Compliant, Digital IBIP
Postal credit account linking	Yes
SmartLink™	Internet-enabled updates and monitoring of critical alerts, low ink and device functionality

Australia

Level 1, 68 Waterloo Road
Macquarie Park NSW 2113
13 23 63
pitneybowes.com/au

New Zealand

Building B, Unit 1 & 4
72 Apollo Drive
Rosedale
Auckland 0632
0800 748 639
pitneybowes.com/nz

[For more information, call or visit us online.](#)