



Shipping & Mailing  
Franking Machines

DM100i™ DM130i™ DM140i™ franking machines  
Communicating across the world of commerce

# The new frontier of franking technology.





## The Pitney Bowes DM digital franking series transforms your desktop into a compact and efficient mail center.

The series is powered by IntelliLink®. This innovation in digital technology increases productivity and efficiency by simplifying how you ship and mail. It powers the DM100i™, DM130i™, and DM140i™ to automate mail processing and receiving. By combining the two main elements of mail processing into one easy to use machine, this series simplifies your office workflow.

### **Weighing.**

- Integrated scale with maximum weight options
- Weigh and calculate postage in one step, without operator intervention
- Process heavy parcels with an optional 35kg scale

### **Postage.**

- Slide your mail through the print sleeve and print postage, automatically
- Use self-adhesive tape sheet for larger mail
- Print postage up to ₹9999.99
- Connect your meter to a phone line to refill it automatically

### **Tracking costs and revenue.**

- Transform standard mail into promotional pieces by printing advertising on the envelope at the moment of mailing
- Ensure undelivered mail is returned, mail shots are more targeted and spend reduced by printing your return address
- Track or allocate your postal spend by cost center or department using accounting mode
- Earn 3 percent discount on every franked mail

### **Enhancing efficiency.**

- Seal envelopes at the time of franking
- Calculate proper postage for mixed size and weight pieces
- Handle mail and parcels quickly and quietly

### **Automating compliance.**

- Access new postal rate by automatic download without any purchase of the rate PROM
- Guarantee proper handling of incoming mail by stamping the date and time of every mail piece received



Make / model	DM100i™	DM130i™	DM140i™
DPM Version	Version 2	Version 2	Version 2
Speed of the machine (cycles/min)	25 to 35	35 to 45	45 to 55
Print value in Rs.	₹ 0.00-9999.99	₹ 0.00-9999.99	₹ 0.00-9999.99
Weighing platform/scale	Inbuilt & integrated	Inbuilt & integrated	Inbuilt & integrated
Weighing capacity (Integrated)	Upto 2.5 kg	Upto 2.5 kg	Upto 5 kg
Optional weighing platform(interfaced)	35 kg	35 kg	35 kg
Article size (mm)	Min: 127 x 76 Max: 381 x 330	Min: 127 x 76 Max: 381 x 330	Min: 127 x 76 Max: 381 x 330
Max. Article Thickness	9.25 mm	9.25 mm	9.25 mm
Postage; slogan & postal tariff download	Through IntelliLink	Through IntelliLink	Through IntelliLink
Date & time setting	Automatic	Automatic	Automatic
Electronic password (Alphanumeric)	Yes, 6 digit	Yes, 6 digit	Yes, 6 digit
Low fund warning	Yes	Yes	Yes
Low ink warning	Yes	Yes	Yes
Self locking	Yes	Yes	Yes
User accounts	5	25	50
Job memories	Optional	Optional	Optional
Date & Time stamp (inbound mail)	Yes	Yes	Yes
Text message entry	No	No	Yes
Power supply	230 volts 50 hz	230 volts 50 hz	230 volts 50 hz
Weight	6.8 kg approximately	6.8 kg approximately	6.8 kg approximately
Dimensions (mm)	345 x 400 x 257	345 x 400 x 257	345 x 400 x 257

Actual throughput will vary, depending on the material used, machine condition, use of moistener, etc. RMFS compliant.

\* Rebate on Postage as per terms & conditions set by Department of Post from time to time. All the models are approved by Department of Post, Govt. of India.

**India**

Unit No 015  
Ground floor  
Time Tower Building  
M G Road, Gurgaon  
Haryana – 122002  
[india.marketing@pb.com](mailto:india.marketing@pb.com)

For more information call 1800110198  
or visit us online: [pitneybowes.com/in](http://pitneybowes.com/in)