HP Color LaserJet Managed MFP E877dn Printer Series



Powerful. Flexible. Secure.

Change is the only constant in business. Transform your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers' you'll stay secure and simplify fleet management for busy IT pros.



Unleash peak productivity

- Tackle anything with our powerful CPU. Maximize your productivity and increase your overall print performance by copying, scanning and printing documents of all sizes at virtually full speed.
- Get time back with industry leading print speeds up to 70ppm.²
- Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like icons on the 10.1-inch color touchscreen display.
- Maintain productivity and stay up to date on the latest features across your fleet with upgradeable HP FutureSmart firmware.³

Customizable solutions built to last

- Make your day-to-day easier by customizing your print experience with cloud-connected HP Workpath apps that let you access personalized content, integrate paper and digital workflows.⁴
- Unleash your creativity and match any office décor with modern designs and the option of five customizable color panels.
- Give your team what they need to succeed with the HP Open Extensibility Platform containing hundreds of HP and third-party solutions as well as card reader support.
- Make color management simple & seamless with our HP Custom Color Manager. Match color output of any document/device combination without the hassle of
 expensive color matching systems.

Always on guard with HP Wolf Security⁵

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified⁶ to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time.
- HP Memory Shield[™] is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the execution flow of a program.

Better printing, for a better planet

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled or certified content.⁷
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic.⁸ Printing that puts the planet first.
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Gold, Energy Star, and Blue Angel.⁹
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.¹⁰

Product walkaround

1. Hardware Integration Pocket (for connecting accessories and third-party devices)¹

- 2. Flatbed scanner handles sheets up to 11x17 in (297 x 432 mm)
- 3. 500-sheet output bin
- 4. Automatic two-sided printing
- 5. Easy-access USB port²
- 6. Front door access to toner cartridges
- 7. HP High-Performance Secure Hard Disk
- 8. Slot for cable-type security lock
- 9. SuperSpeed USB 3.0 Host Port
- 10. Hi-Speed USB 2.0 Host Port
- 11. Gigabit Ethernet Port
- 12. SuperSpeed USB 3.0 device port
- 13. 520-sheet tray 3 supports media sizes up to SRA3 (12x18 in)
- 14. 200-sheet dual side ADF supports media sizes up to A3 $(11x17 \text{ in})^3$
- 15. 10.1 inch (25.6 cm) color touchscreen display
- 16. Power button
- 17. Right door access to the print path
- 18. 100-sheet multipurpose tray 1 supports media sizes up to SRA3 (12x18 in)
- 19. 520-sheet tray 2 supports media sizes up to A4 (Letter)
- 20. Optional 2 x 520-sheet dual tray/stand supports media sizes up to SRA3 (12x18 in)



Series at a glance

Model	HP Color LaserJet Managed MFP	E877dn		
Product number	5QK03A	5QK03A (Base) + 8EP60AAE (Speed license)	5QK03A (Base) + 8EP61AAE (Speed license)	5QK03A (Base) + 8EP62AAE (Speed license)
Print speed (A4 and letter, Black and color) ³	Up to 40 ppm	Up to 50 ppm	Up to 60 ppm	Up to 70 ppm
Scan speed (A4 and letter, Black and color) ⁴	90 ppm/180 ipm, simplex/duplex			
Functions	Print, copy, and scan (fax and wir	eless optional) (all models)		
ADF capacity	200 sheets			
Input capacity	Standard: 1,140 sheets; Maximum: 6,140 sheets (all models)			
Advanced workflow features	No			

¹Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. ² An administrator must enable the easy-access USB port before use. ³ The E877 series Flow models include a 300-sheet ADF. The E877 series dn models include a 200-sheet ADF. The ADF on all devices can scan documents up to 11 x 17 inches (A3). ⁴ Measured using ISO/IEC 24734, excludes First set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁵ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. ⁶ HP EveryPage Technology is powered by ultrasonic multi-feed detection.

Top features

Get more done faster with industry leading printing, scanning and copying speeds, maximum uptime – powered by HP's custom designed quadcore processor. Tailored on-device and cloud connected solutions to help optimize your workflows with flexibility to support your workforce today and evolve to meet your demands for tomorrow. HP Wolf Enterprise Security provides the world's most secure printing through industry leading multi-layer, self-healing security that protects, detects, and adapts to new threats.¹ We keep trouble out so you can keep your business running.

Save resources with our energy efficient printing that meets EPEAT Gold, Blue Angel and Energy Star standards; supporting HP's goal for carbon neutrality and a fully sustainable economy.

Solutions	Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights
	Mobile and universal print: HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App
	Management: HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Custom Color Manager; HP Command Center; HP Smart Printer Administrator's Resource Kit

Data sheet | HP Color Laser Jet Managed MFP E877dn Printer Series

Technical specifie	cations				
Functions	Print, copy, scan, fax (optional)				
Print speed ^{1,2}	Letter Black	Up to 40 ppm	Up to 50 ppm (with 8EP60AAE)	Up to 60 ppm (with 8EP61AAE)	Up to 70 ppm (with 8EP62AAE)
	Letter Color	Up to 40 ppm	Up to 50 ppm (with 8EP60AAE)	Up to 60 ppm (with 8EP61AAE)	Up to 70 ppm (with 8EP62AAE)
	A4 Black	Up to 40 ppm	Up to 50 ppm (with 8EP60AAE)	Up to 60 ppm (with 8EP61AAE)	Up to 70 ppm (with 8EP62AAE
	A4 Color	Up to 40 ppm	Up to 50 ppm (with 8EP60AAE)	Up to 60 ppm (with 8EP61AAE)	Up to 70 ppm (with 8EP62AAE
	First page out Letter Black	As fast as 8.2 sec	As fast as 7.6 sec (with 8EP60AAE)	As fast as 7.2 sec (with 8EP61AAE)	As fast as 7.2 sec (with 8EP62AAE)
	First page out Letter Color	As fast as 9.7 sec	As fast as 8.8 sec (with 8EP60AAE)	As fast as 8.2 sec (with 8EP61AAE)	As fast as 8.0 sec (with 8EP62AAE)
	First page out A4 Black	As fast as 8.2 sec	As fast as 7.6 sec (with 8EP60AAE)	As fast as 7.2 sec (with 8EP61AAE)	As fast as 7.2 sec (with 8EP62AAE)
	First page out A4 Color	As fast as 9.7 sec	As fast as 8.8 sec (with 8EP60AAE)	As fast as 8.2 sec (with 8EP61AAE)	As fast as 8.0 sec (with 8EP62AAE)
Print resolution	Black (best): Up to 1200 x 1200 c speed; Color (normal): Up to 600	dpi full speed; Black (normal): Up x 600 dpi; Color (fine lines): Up to	to 600 x 600 dpi; Black (fine lines) 1200 x 1200 dpi	: Up to 1200 x 1200 dpi; Color (be	est): Up to 1200 x 1200 dpi full
Print technology	Laser; Optical: Normal (600 x 600	0 4 bit); Best (1200 x 1200 1 bit)			
Print cartridges number	4 (1 each black, cyan, magenta, y	vellow)			
Standard print languages	HP PCL 5c, HP PCL 6, HP Postscri	pt level 3 emulation, PDF (v 1.7),	AirPrint™ compatible		
Printer smart software			, 6, 9, 16), collation, watermarks, s	store print jobs, easy-access USB	
features				,,	
Color scanning	Yes				
Scan speed Normal ³	Up to 90 ppm/180 ipm (b&w), up to 180 ipm (color) Letter ; Up to 1	to 90 ppm/180 ipm (color) Lette 80 ipm (b&w), up to 180 ipm (co	r ; Up to 90 ppm/180 ipm (b&w), lor) A4	up to 90 ppm/180 ipm (color) A4	Duplex: Up to 180 ipm (b&w), up
Scan type / Technology	Flatbed, ADF / Platen Scanner CC				
Scan resolution	Hardware: Up to 600 × 600 dpi; C	ptical: Up to 600 x 600 dpi			
Scan file format	PDF, Hi-Compression PDF, JPEG,				
Scan input modes			k Folder; Scan to USB; Scan to Job	Storage: Open Extensibility Platf	orm (OXP). HP Worknath
Scan Size	applications		27 mm; 2.7 x 5 in Flatbed: 297 x 4		onn (o.a.), ni wonquan
		1.7 x 34 III ADF MIIIIIIIIIII. 68 x 1.	27 mm, 2.7 x 5 m Flatbeu: 297 x 4	32 11111, 11.69 X 17 111	
Duplex ADF scanning	Yes				
ADF capacity	Standard, 200 sheets				
Twain version	Version 2.4				
Bit depth / Grayscale levels	24-bit/256				
Digital sending standard features	Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to sFTP; scan to LAN fax; scan to Internet Fax; local address book; SM over SSL; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview; bla page suppression; automatically straighten				net Fax; local address book; SMT up, sharpness); optimize p; job build; image preview; blan
Copy speed	Letter Black	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)
	Letter Color	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)
	A4 Black	Up to 40cpm	Up to 50cpm (with 8EP60AAE)	Up to 60cpm (with 8EP61AAE)	Up to 70cpm (with 8EP62AAE)
	A4 Color	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)
	Letter Black Duplex	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)
	Letter Color Duplex	Up to 40 cpm		Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)
	A4 Black Duplex	Up to 40 cpm		Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)
	A4 Color Duplex	Up to 40 cpm	Up to 50 cpm (with 8EP60AAE)	Up to 60 cpm (with 8EP61AAE)	Up to 70 cpm (with 8EP62AAE)
	First copy out Letter Black	As fast as 4.9 sec	As fast as 4.2 sec (with 8EP60AAE)	As fast as 3.8 sec (with 8EP61AAE)	As fast as 3.5 sec (with 8EP62AAE)
	First copy out Letter Color	As fast as 6.5 sec	As fast as 5.6 sec (with 8EP60AAE)	As fast as 4.9 sec (with 8EP61AAE)	As fast as 4.3 sec (with 8EP62AAE)
	First copy out A4 Black	As fast as 4.9 sec	As fast as 4.2 sec (with 8EP60AAE)	As fast as 3.8 sec (with 8EP61AAE)	As fast as 3.5 sec (with 8EP62AAE)
	First copy out A4 Color	As fast as 6.5 sec	As fast as 5.6 sec (with 8EP60AAE)	As fast as 4.9 sec (with 8EP61AAE)	As fast as 4.3 sec (with 8EP62AAE)
Copy resolution	Black (text and graphics): ; Up to	1 600 x 600 dpi · Color (text and g r			OEI OEI (IE)
Maximum number of copies		eeter and apr, color (leve and gr			
Copier resize	25 to 400%				
Copier settings		/ detect color/monochrome; redu	ce/enlarge; image adjustments (d	arkness, contrast, background cle	anup, sharpness); optimize
	text/picture (text, mixed, printed	picture, photograph); N-Up; N or	Z-ordering; content orientation; co paper selection; blank page supp	ollate; booklet; scan mode (book,	2-sided ID); watermark; stamps;
Fax speed	Up to: 33.6 kbps / Letter: 3 sec pe	1.5			
Fax resolution	Black (best): Up to 300 x 300 dpi	(400 x 400 dpi for received faxes	only); Black (standard): 203 × 98	dpi	
Fax Features	Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi Fax memory: Up to 500 pages; Up to 500 pages Auto fax reduction supported: Yes Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supported: No Fax forwarding supported: Yes Fax phone TAM interface supported: No Fax polling supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barrier supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supported: No Telephone handset supported: No				
Standard connectivity			n Pocket 2nd generation (HIP2); 1	Hi-Speed USB 2.0 (host); 1 Super	Speed USB 3.0 (device); 1
Network capabilities	Standard (built-in GIGABIT 10/10	0/1000T Ethernet)			
Wireless capability	Optional, enabled with purchase	of a hardware accessorv			
Mobile printing capability			ch-to-print (optional); PrinterOn P	rint	
Memory	Standard:6GB; Maximum:6GB	2, Si eee minning, ni e 100	en te princioptionaly, i nincel offi		
Processor speed	Quad Core (1.6GHz), Dual Core (1	.4GHz) / Storage : Standard, emb	edded 500 GB hard disk drive / Ha Temporary Job Files, Secure Erase	rd disk: Standard, HP LaserJet 50	0GB Hard Disk Drive; AES 256
Duty cycle (monthly)	Letter:	Up to 180,000 pages	Up to 200,000 pages (with 8EP60AAE)	Up to 250,000 pages (with 8EP61AAE)) Up to 300,000 pages (with 8EP62AAE)
	A4:	Up to 180,000 pages	Up to 200,000 pages (with 8EP60AAE)	Up to 250,000 pages (with 8EP61AAE)	Up to 300,000 pages (with 8EP62AAE)
Decommonde d	Up to 60,000		ULPUUAAE/	ULI"UTAREJ	ULTULANE)
Recommended monthly					

Data sheet | HP Color LaserJet Managed MFP E877dn Printer Series

Technical specifications

Paper handling	Input Capacities: Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets) Standard; Up to 50 envelopes; Input Capacities, Max: Up to 6,140 sheets; Output Capacities: Up to 500 sheets Standard; Up to 100 sheets; Duplex Options: Automatic; Envelope feeder: No; Standard paper trays: 3
Media types supported	Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Heavy Glossy 111-130g, HP Matte 120g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, HP Glossy 200g, Card-stock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Pre-punched, Colored
Media weight supported	Tray 1, 2, 3: 16 to 86.5 lb bond; Tray 1, 2, 3: 60 to 325 g/m ²
Media sizes supported	Tray 1: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 12 x 18, 4 x 6, 5 x 7, 5 x 8,10 x 15, 8k, 16k, envelope #9, Envelope #10, Envelope Monarch; Tray 2: Letter, Statement, Oficio, 4 x 6, 5 x 7, 5 x 8,10 x 15, envelope #9, Envelope #10, Envelope Monarch; Tray3: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 12 x 18, 8k, 16k Tray 1: A3, A4, A4R, A5, A5R, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS), 10x15cm, Oficio, 8K, 16k, Postcard (JIS), Postcard (JIS), Envelope B5, Envelope C5, Envelope C6, Envelope DL; Tray 2: A4, A4R, A5, A5R, A6, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Oficio, 8K, 16k, Envelope B5, Envelope C5, Envelope DL; Tray 3: A3, A4, A4R, A5, A6, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k, Envelope B5, Envelope C6, Envelope DL; Tray 3: A3, A4, A4R, A5, A6, RA3, RA4, B4 (JIS), Oficio, 8K, 16k
Media Sizes Custom	Tray 1: 3.86 x 5.5 to 12.59 x 18 in; Tray 2: 3.86 x 5.5 to 9.5 x 11.69 in; Tray 3: 5.5 x 7.17 to 12.59 x 18 in Tray 1: 98 x 139.7 to 320 x 457.2 mm; Tray 2: 98 x 139.7 to 241.5 x 297 mm; Tray 3: 140 x 182 to 320 x 457.2 mm
What's in the box	5QK03A In box materials ; Guide install, Flyer Regulatory, Power Cords, Label, Drums.
Replacement cartridges ⁴	HP Black Managed LJ Toner Cartridge (ISO Yield 50,000) W9170MC, HP Cyan Managed LJ Toner Cartridge (ISO Yield 45,000) W9171MC, HP Yellow Managed LJ Toner Cartridge (ISO Yield 45,000) W9172MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 45,000) W9173MC
Product dimensions	W x d x h: 585 x 694.7 x 907.7 mm; 23 x 27.4 x 35.7 in Maximum: 1656.7 x 1269 x 1488.5 mm; 65.2 x 50 x 58.6 in
Product weight	99.8 kg; 220.1 lb
Warranty features	90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to hp.com/support to learn about HP award winning service and support options in your region.
Energy star certified	Yes
Ecolabels	EPEAT® registered; IT ECO Declaration; Blue Angel
Control panel	10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker
Display description	10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD)
Software included	No software solutions are included in the box, only on http://www.hp.com or http://123.hp.com
Compatible operating systems	Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS
Compatible network operating systems	Windows Server; Linux; Citrix; Novell
Minimum system	PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB
requirements	available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com
Power	Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 110 to 127 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 12.0 A 220 to 240 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 7.0 A 100 VAC (+/-10%), 50/60 Hz (+/-3 Hz), (Not dual voltage, power supply varies by part number with # Option code identifier); Power consumption: 820 watts (40ppm, printing), 890 watts (50ppm, printing), 1020 watts (60ppm, printing), 1100 watts (70ppm, printing), 41.5 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)
Acoustics	Acoustic power emissions: 6.70 Bel(A), printing color simplex A4 at 40ppm; 6.75 Bel(A), printing color simplex A4 at 50ppm; 6.85 Bel(A), printing color simplex A4 at 60ppm; 7.00 Bel(A), printing color simplex A4 at 70ppm; 540s(A), printing color simplex A4 at 40ppm; 53dB(A), printing color simplex A4 at 40ppm; 54dB(A), printing color simplex A4 at 50ppm; Acoustic Pressure Emissions (active scan): 54dB(A), printing color simplex A4 at 150ppm; Acoustic Pressure Emissions (active scan): 54dB(A), printing color simplex A4 at 150ppm; Acoustic Pressure Emissions (active scan): 54dB(A), printing color simplex A4 at 150ppm; Acoustic Pressure Emissions (active scan): 54dB(A), printing color simplex A4 at 150ppm; Acoustic Pressure Emissions (active scan): 54dB(A), printing color simplex A4 at 150ppm; Acoustic Pressure Emissions (active scan): 54dB(A), printing color simplex A4 at 150ppm; Acoustic Pressure Emissions (active scan): 54dB(A), printing color simplex A4 at 150ppm; Acoustic Pressure Emissions (active scan): 54dB(A), printing color simplex A4 at 150ppm; Acoustic Pressure Emissions (active scan): 54dB(A), printing color simplex A4 at 150ppm; Acoustic Pressure Emissions (active scan): 54dB(A), printing color simplex A4 at 150ppm; Acoustic Pressure Emissions (active scan): 54dB(A), printing color simplex A4 at 150ppm; Acoustic Pressure Emissions (active scan): 54dB(A), printing color simplex A4 at 150ppm; Acoustic Pressure Emissions (active scan): 54dB(A), printing color simplex A4 at 150ppm; Acoustic Pressure Emissions (active scan): 54dB(A), printing color simplex A4 at 150ppm; Acoustic Pressure Emissions (active scan); 54dB(A), printing color simplex A4 at 150ppm; Acoustic Pressure Emissions (active scan); 54dB(A), printing color simplex A4 at 150ppm; 54dB(A), printing color simplex A4 at 15
Operating environment	Operating temperature range: 15 to 30°C 59 to 86°F; Recommended operating temperature: 15 to 30°C 59 to 86°F; Storage temperature range: -10 to 40°C 14 to 104°F; Operating humidity range: 20 to 80% RH; Recommended humidity operating range: 20 to 80% RH

Messaging Footnotes

HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive in-class

rin strategy and based of the features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: hp.com/go/PrintersThatProtect. For more information, visit: http://www.hp.com/go/PrinterSecurityClaims.

adocument complexity.
 ado

⁵ HP Security is now HP Wolf Security. Security features vary by platform. For more information, visit http://www.hp.com/wolfsecurity. ⁶ Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf

100% outer hber-based packaging and internal hber-based cushions made inor sustainably sourced certified and recycled inters.
100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed. See http://www.hp.com/go/TonerRecycledContent of list. Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic.

⁴HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines. HP printer, HP paper and Original HP supply - Blue Angel DE-UZ 219 Emissions Criteria.

Technical Specifications Footnotes

¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application, driver, and document complexity. ² Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

⁴ Approximate average yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/go/learnaboutsupplies.



To learn more, visit hp.com

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express war accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein September 2022



HP Color LaserJet Managed Flow MFP E877z Printer series



Powerful. Flexible. Secure.

Change is the only constant in business. Transform your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers' you'll stay secure and simplify fleet management for busy IT pros.



Unleash peak productivity

- Experience speed and performance like no other with our fastest ever 300 ipm² duplex scan technology.
- Work faster and without interruptions with reverse and retry technology that automatically detects and resolves double feed issues.
- Easily scan and capture text from documents with high accuracy with OCR software, increase productivity with the optional accelerator card.
- Save time by simply scanning once and sending to multiple destinations with customized shortcuts built to eliminate steps and improve accuracy.

Customizable solutions built to last

- Make your day-to-day easier by customizing your print experience with cloud-connected HP Workpath apps that let you access personalized content, integrate paper and digital workflows.³
- Unleash your creativity and match any office décor with modern designs and the option of five customizable color panels.
- Give your team what they need to succeed with the HP Open Extensibility Platform containing hundreds of HP and third-party solutions as well as card reader support.
- Make color management simple & seamless with our HP Custom Color Manager. Match color output of any document/device combination without the hassle of
 expensive color matching systems.

Always on guard with HP Wolf Security⁴

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified⁵ to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time.
- HP Memory Shield™ is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the execution flow of a program.

Better printing, for a better planet

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled or certified content.⁶
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic.⁷ Printing that puts the
 planet first.
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Gold, Energy Star, and Blue Angel.⁸
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.9

Product walkaround

- 1. Hardware Integration Pocket (for connecting accessories and third-party devices)¹
- 2. Flatbed scanner handles sheets up to 11×17 in (297 x 432 mm)
- 3. 500-sheet output bin
- 4. Automatic two-sided printing
- 5. Easy-access USB port²
- 6. Front door access to toner cartridges
- 7. HP High-Performance Secure Hard Disk
- 8. Slot for cable-type security lock
- 9. SuperSpeed USB 3.0 Host Port
- 10. Hi-Speed USB 2.0 Host Port 11. Gigabit Ethernet Port
- 12. Sugari Ethernet Port
- 12. SuperSpeed USB 3.0 device port
- 13. 520-sheet tray 3 supports media sizes up to SRA3 (12x18 in)
- 14. 300-sheet dual side ADF supports media sizes up to A3 (11x17 in) (Flow models only)³
- 15. 10.1 inch (25.6 cm) color touchscreen display
- 16. Power button
- 17. Full size keyboard
- 18. Right door access to the print path
- 19. 100-sheet multipurpose tray 1 supports media sizes up to SRA3 (12x18 in)
- 20. 520-sheet tray 2 supports media sizes up to A4 (Letter)
- 21. Optional 2 x 520-sheet dual tray/stand supports media sizes up to SRA3 (12x18 in)

Series at a glance

Jeries al a glarice				
Model	HP Color LaserJet Managed	Flow MFP E877z		
Product number	5QK08A	5QK08A(Base) + 8EP60AAE (Speed license)	5QK08A(Base) + 8EP61AAE (Speed license)	5QK08A(Base) + 8EP62AAE (Speed license)
Print speed (A4 and letter, Black and color) ³	Up to 40 ppm	Up to 50 ppm	Up to 60 ppm	Up to 70 ppm
Scan speed (A4 and letter, Black and color) ⁴	150 ppm/300 ipm, simplex/duplex			
Functions	Print, copy, and scan (fax and wireless optional) (all models)			
ADF capacity	300 sheets			
Input capacity	Standard: 1,140 sheets; Ma	ximum: 6,140 sheets (all models)		
Advanced workflow features	HP EveryPage technology, full size keyboard, embedded OCR, reverse and retry, auto orientation, auto-tone, auto page-crop, document editing, auto paper color removal, automatically straighten, job separation			

¹ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. ² An administrator must enable the easy-access USB port before use. ³ The E877 series Flow models include a 300-sheet ADF. The E877 series dn models include a 200-sheet ADF. The ADF on all devices can scan documents up to 11 x 17 inches (A3). ⁴ Measured using ISO/IEC 24734, excludes First set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁵ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

Top features

Get more done faster with industry leading printing, scanning and copying speeds, maximum uptime – powered by HP's custom designed quadcore processor.

Tailored on-device and cloud connected solutions to help optimize your workflows with flexibility to support your workforce today and evolve to meet your demands for tomorrow. HP Wolf Enterprise Security provides the world's most secure printing through industry leading multi-layer, self-healing security that protects, detects, and adapts to new threats. We keep trouble out so you can

HP Wolf Enterprise Security provides the world's most secure printing through industry leading multi-layer, selt-healing security that protects, detects, and adapts to new threats. We keep trouble out so you can keep your business running. Save resources with our energy efficient printing that meets EPEAT Gold, Blue Angel and Energy Star standards; supporting HP's goal for carbon neutrality and a fully sustainable economy.

Save resources with our energy efficient printing that meets EPEAL Gold, Blue Angel and Energy Star standards; supporting HP's goal for carbon neutrality and a fully s

Services and Solutions

Service and Support	U03HDE - HP 1 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HEF - HP 3 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HEF - HP 4 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HEF - HP 3 year Next Business Day with DMR Service for Color LaserJet Managed MFP E877xx U03HE - HP 3 year A hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HE - HP 3 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E877xx U03HE - HP 1 year Part Sexthange v/DMR SVC for Color LaserJet Managed MFP E877xx U03HKE - HP 1 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HKE - HP 3 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HKE - HP 3 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HKE - HP 3 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HKE - HP 3 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HKE - HP 3 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HKE - HP 3 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HKE - HP 3 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E877xx (Managed Component Only) U03HKE - HP 2 year Post Warranty
Solutions	Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights Mobile and universal print: HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App Management: HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Custom Color Manager; HP Command Center; HP Smart Printer Administrator's Resource Kit



Data sheet | HP Color LaserJet Managed Flow MFP E877z Printer series

Front panel optional colors



*Available with optional color panel accessories

Accessories	155P7A	HP LaserJet InnerFinisher 2/3 Hole Punch
	190A2A	HP Color LaserJet Department Lunar Gray Color Panel
	190A4A	HP Laser Jet Department 2x520 sheet Paper Tray/Stand Lunar Gray Color Panel
	190A5A	HP Laser Jet Department High Capacity Paper Tray/Stand Lunar Gray Color Panel
	190A8A	HP LaserJet Department Stand Lunar Gray Color Panel
	190B2A	HP Color LaserJet Department Comet Red Color Panel
	190B4A	HP LaserJet Department 2x520 sheet Paper Tray/Stand Comet Red Color Panel
	190B5A	HP LaserJet Department High Capacity Paper Tray/Stand Comet Red Color Panel
	190B8A	HP LaserJet Department Stand Comet Red Color Panel
	190C2A	HP Color LaserJet Department Cosmic Green Color Panel
	190C4A	HP LaserJet Department Zx520 sheet Paper Tray/Stand Cosmic Green Color Panel
	190C5A	HP Laser Jet Department High Capacity Paper Tray/Stand Cosmic Green Color Panel
	190C8A	HP Laser Jet Department Stand Cosmic Green Color Panel
	190D2A	HP Color LaserJet Department Constellation Yellow Color Panel
	190D2A	HP LaserJet Department 2x520 sheet Paper Tray/Stand Constellation Yellow Color Panel
	190D4A	HP Laser Jet Department High Capacity Paper Tray/Stand Constellation Yellow Color Panel
	190D3A	
	19052A	HP Laser Jet Department Stand Constellation Yellow Color Panel
	190F2A 190F4A	HP Color LaserJet Department Aurora Purple Color Panel
		HP LaserJet Department 2x520 sheet Paper Tray/Stand Aurora Purple Color Panel
	190F5A	HP LaserJet Department High Capacity Paper Tray/Stand Aurora Purple Color Panel
	190F8A	HP Laser Jet Department Stand Aurora Purple Color Panel
	2NR12A	HP Removable Hard Drive Enclosure
	2TD64A	HP Accessibility Kit
	3JN69A	HP Jetdirect 3100w BLE/NFC/Wireless Accessory
	478C2A	HP Printing Voice Assistant
	4QL32A	HP Legici Secure USB Reader
	4XN67A	Internal USB Expansion Kit
	5QK14A	HP MFP 810 Analog Dual Fax
		HP LaserJet 2x520 sheet Department Paper Tray/Stand
		HP LaserJet Inner Finisher
		HP Laser Jet Department Job Separator
		HP LaserJet Booklet Finisher
		HP LaserJet Department Stand
		HP LaserJet Stapler/Stacker Finisher
		HP LaserJet 3000 sheet Department High Capacity Paper Tray/Stand
		HP LaserJet 2000 sheet Department High Capacity Paper Tray/Stand
	6HN30A	HP LaserJet Workflow Accelerator Card
	6HN31A	HP 500GB CCC, FIPS, TAA Hard Disk Drive
	7ZA08A	HP MFP 800 Analog Single Fax
	8FP31A	HP Jetdirect LAN Accessory
	9EQ11A	HP 500GB CCC, FIPS Hard Disk Drive
	B5L31A	HP Foreign Interface Harness
	X3D03A	HP USB Universal Card Reader
	Y1G10A	HP LaserJet Hole Punch 2/3 Accessory
	Y1G13A	HP LaserJet Inner/Booklet Staples
	Y1G14A	HP LaserJet Stapler/Stacker Finisher Staples
	Y1G22A	HP LaserJet Paper Tray Heaters Accessory
	Y7C05A	HP HIP2 Keystroke Reader
	Y7C07A	HP SIM for HID iClass for HIP2 Reader
Speed Licenses	05060445	
Speca Licenses		HP Color LaserJet Managed MFP E877 40 to 50ppm License
		HP Color LaserJet Managed MEP E877 40 to 60ppm License
		EHP Color LaserJet Managed MFP E877 40 to 70ppm License EHP Color LaserJet Managed MFP E877 50 to 60ppm License
		HP Color LaserJet Managed MFP E877 60 to 70ppm License
		HP Color LaserJet Managed MFP E877 50 to 70ppm License

* Inner finisher/inner finisher hole punches are not compatible with 70ppm ** HP LaserJet Workflow Accelerator Card, 6HN30A will be available in January 2023.

Data sheet | HP Color LaserJet Managed Flow MFP E877z Printer series

Technical specific	Print, copy, scan, fax (optional)				
		U- +- 40			Us to 70 source (the OFDCOAM
Print speed ^{3,2}	Letter Black	Up to 40 ppm	Up to 50 ppm (with 8EP60AAE)	Up to 60 ppm (with 8EP61AAE)	Up to 70 ppm (with 8EP62AAE
	Letter Color A4 Black	Up to 40 ppm Up to 40 ppm	Up to 50 ppm (with 8EP60AAE) Up to 50 ppm (with 8EP60AAE)	Up to 60 ppm (with 8EP61AAE) Up to 60 ppm (with 8EP61AAE)	Up to 70 ppm (with 8EP62AA Up to 70 ppm (with 8EP62AA
	A4 Color	Up to 40 ppm	Up to 50 ppm (with 8EP60AAE)	Up to 60 ppm (with 8EP61AAE)	Up to 70 ppm (with 8EP62AA
			As fast as 7.6 sec (with	As fast as 7.2 sec (with	As fast as 7.2 sec (with
	First page out Letter Black	As fast as 8.2 sec	As fast as 8.8 sec (with	8EP61AAE) As fast as 8.2 sec (with	8EP62AAE) As fast as 8.0 sec (with
	First page out Letter Color	As fast as 9.7 sec	As fast as 0.6 sec (with 8EP60AAE) As fast as 7.6 sec (with	As fast as 7.2 sec (with As fast as 7.2 sec (with	As fast as 8.0 sec (with 8EP62AAE) As fast as 7.2 sec (with
	First page out A4 Black	As fast as 8.2 sec	AS fast as 7.6 sec (with 8EP60AAE) As fast as 8.8 sec (with	8EP61AAE)	AS fast as 7.2 sec (with 8EP62AAE) As fast as 8.0 sec (with
	First page out A4 Color	As fast as 9.7 sec	8EP60AAE)	As fast as 8.2 sec (with 8EP61AAE)	8EP62AAE)
rint resolution	full speed; Color (normal): Up to	o 600 x 600 dpi; Color (fine lines		: Up to 1200 x 1200 dpi; Color (be	est): Up to 1200 x 1200 dpi
rint technology		00 4 bit); Best (1200 x 1200 1 b	bit)		
rint cartridges number	4 (1 each black, cyan, magenta				
tandard print languages	, ,	ript level 3 emulation, PDF (v 1.	.,		
rinter smart software eatures	Print preview, duplex printing, p	print multiple pages per sheet (2	2, 4, 6, 9, 16), collation, watermarks, s	store print jobs, easy-access USB	
olor scanning	Yes				
can speed Normal⁵	Up to 150 ppm/300 ipm (b&w), (b&w), up to 300 ipm (color) Lei	, up to 150 ppm/300 ipm (color) tter ; Up to 300 ipm (b&w), up to) Letter ; Up to 150 ppm/300 ipm (b& o 300 ipm (color) A4	w), up to 150 ppm/300 ipm (colo	r) A4 Duplex: Up to 300 ipm
can type / Technology	Flatbed, ADF / Platen Scanner (5			
can resolution	Hardware: Up to 600 x 600 dpi;	Optical: Up to 600 x 600 dpi			
can file format	PDF, Hi-Compression PDF, PDF/ TEXT (OCR), Unicode TEXT (OCF	A, Hi-Compression PDF/A, JPEG, R), RTF (OCR), HTML (OCR), CSV (TIFF, MTIFF, XPS, PDF (OCR), Hi-Comp OCR)	pression PDF (OCR), PDF/A (OCR), I	Hi-Compression PDF/A (OCR),
can input modes	Front panel applications: Copy; applications	Fax; Scan to Email; Scan to Netw	work Folder; Scan to USB; Scan to Job	Storage; Open Extensibility Platfo	orm (OXP), HP Workpath
can Size	ADF Maximum: 305 x 864 mm;	12 x 34 in ADF Minimum: 68 x 1	127 mm; 2.7 x 5 in Flatbed: 297 x 433	2 mm; 11.69 x 17 in	
canner advanced features		picture (auto); scan to multi-des eparation (blank page, barcode)	tination; automatic tone; auto orienta ; watermark; stamps	ation; multi-feed detection; revers	se and retry; document editing
uplex ADF scanning	Yes				
DF capacity	Standard, 300 sheets				
wain version	Version 2.4				
t depth / Grayscale levels	24-bit/256				
igital sending standard		k folder: save-to-USB drive: ser	nd to Sharepoint; send to FTP; send to	sETP: send to LAN fax: send to Ir	nternet Fax: local address boo
patures	SMTP over SSL; auto color sense; compact PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (auto, text, mix printed picture, photograph); content orientation; ID scan; job build; watermark; stamps; book mode scans; erase edges; image preview; blank page suppressior to multi destination; embedded OCR; auto-tone, auto orientation, auto¬page-crop; multi-feed detection; reverse and retry; document editing; auto paper color removal; job separation; automatically straighten				
	printed picture, photograph); cc to multi destination; embedded removal; job separation; autom	ontent orientation; ID scan; job b I OCR; auto-tone, auto orientatio natically straighten	build; watermark; stamps; book mode on, auto¬page-crop; multi-feed detec	e scans; erase edges; image previe ction; reverse and retry; documen	ew; blank page suppression; so t editing; auto paper color
	printed picture, photograph); cc to multi destination; embeddec removal; job separation; autom Letter Black	ontent orientation; ID scan; job b I OCR; auto-tone, auto orientation natically straighten Up to 40 cpm	uild; watermark; stamps; book mode on, auto¬page-crop; multi-feed detec Up to 50 cpm (with 8EP60AAE)	e scans; erase edges; image previe tion; reverse and retry; documen Up to 60 cpm (with 8EP61AAE)	ew; blank page suppression; so t editing; auto paper color Up to 70 cpm (with 8EP62AA
	printed picture, photograph); cc to multi destination; embeddec removal; job separation; autom Letter Black Letter Color	ontent órientation; ID scan; job b I OCR; auto-tone, auto orientation atically straighten Up to 40 cpm Up to 40 cpm	uild; watermark; stamps; book mode on, auto¬page-crop; multi-feed deter Up to 50 cpm (with 8EP60AAE) Up to 50 cpm (with 8EP60AAE)	e scans; erase edges; image previe tion; reverse and retry; documen Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE)	ew; blank page suppression; si t editing; auto paper color Up to 70 cpm (with 8EP62AA Up to 70 cpm (with 8EP62AA
	printed picture, photograph); cc to multi destination; embeddec removal; job separation; autom Letter Black Letter Color A4 Black	ntent orientation; ID Scan; job b I OCR; auto-tone, auto orientatio latically straighten Up to 40 cpm Up to 40 cpm Up to 40cpm	 uild; watermark; stamps; book mode on, auto¬page-crop; multi-feed deter Up to 50 cpm (with 8EP60AAE) Up to 50 cpm (with 8EP60AAE) Up to 50cpm (with 8EP60AAE) 	scans; erase edges; image previe tion; reverse and retry; documen Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) Up to 60cpm (with 8EP61AAE)	wy; blank page suppression; so t editing; auto paper color Up to 70 cpm (with 8EP62AA Up to 70 cpm (with 8EP62AA Up to 70cpm (with 8EP62AAI
	printed picture, photograph); cc to multi destination; embeddec removal; job separation; autom Letter Black Letter Color A4 Black A4 Color	ntent orientation; ID Scan; job b I OCR; auto-tone, auto orientatio atically straighten Up to 40 cpm Up to 40 cpm Up to 40 cpm Up to 40 cpm Up to 40 cpm	 uild; watermark; stamps; book modeon, auto-page-crop; multi-feed detect Up to 50 cpm (with 8EP60AAE) 	scans; erase edges; image previe tion; reverse and retry; documen Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) Up to 60cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE)	wy; blank page suppression; so t editing; auto paper color Up to 70 cpm (with 8EP62AA Up to 70 cpm (with 8EP62AAI Up to 70 cpm (with 8EP62AAI Up to 70 cpm (with 8EP62AA
	printed picture, photograph); cc to multi destination; embeddec removal; job separation; autom Letter Black Letter Color A4 Black A4 Color Letter Black Duplex	ontent orientation; ID Scan; job b I OCR; auto-tone, auto orientatio atically straighten Up to 40 cpm Up to 40 cpm	 uild; watermark; stamps; book modeon, auto-page-crop; multi-feed detect Up to 50 cpm (with 8EP60AAE) 	scans; erase edges; image previe tion; reverse and retry; documen Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) Up to 60cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE)	w; blank page suppression; so t editing; auto paper color Up to 70 cpm (with 8EP62AA Up to 70 cpm (with 8EP62AA Up to 70 cpm (with 8EP62AAI Up to 70 cpm (with 8EP62AA Up to 70 cpm (with 8EP62AA
	printed picture, photograph); co to multi destination; embeddec removal; job separation; autom Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex	ontent orientation; ID scan; job b I OCR; auto-tone, auto orientatio atically straighten Up to 40 cpm Up to 40 cpm	 uild; watermark; stamps; book modeon, auto-page-crop; multi-feed determents Up to 50 cpm (with 8EP60AAE) 	escans; erase edges; image previe tion; reverse and retry; documen Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE)	w; blank page suppression; so t editing; auto paper color Up to 70 cpm (with 8EP62AA Up to 70 cpm (with 8EP62AA Up to 70 cpm (with 8EP62AAI Up to 70 cpm (with 8EP62AA Up to 70 cpm (with 8EP62AA Up to 70 cpm (with 8EP62AA
	printed picture, photograph); cc to multi destination; embeddec removal; job separation; autom Letter Black Letter Color A4 Black A4 Color Letter Black Duplex	ontent orientation; ID scan; job b I OCR; auto-tone, auto orientatio atically straighten Up to 40 cpm Up to 40 cpm	 uild; watermark; stamps; book modeon, auto-page-crop; multi-feed determents Up to 50 cpm (with 8EP60AAE) 	scans; erase edges; image previe tion; reverse and retry; documen Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE)	w; blank page suppression; so t editing; auto paper color Up to 70 cpm (with 8EP62AA Up to 70 cpm (with 8EP62AA
	printed picture, photograph); cc to multi destination; embeddec removal; job separation; autom Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex A4 Black Duplex	ontent orientation; ID scan; job b I OCR; auto-tone, auto orientatio atically straighten Up to 40 cpm Up to 40 cpm	 uild; watermark; stamps; book mode on, auto-page-crop; multi-feed deter Up to 50 cpm (with 8EP60AAE) As fast as 4.2 sec (with 	scans; erase edges; image previe tion; reverse and retry; documen Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) As fast as 3.8 sec (with	wy: blank page suppression; so t editing; auto paper color Up to 70 cpm (with 8EP62AA Up to 70 cpm (with 8EP62AA As fast as 3.5 sec (with
	printed picture, photograph); cc to multi destination; embeddec removal; job separation; autom Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex A4 Black Duplex A4 Color Duplex	ntent orientation; ID Scan; job b I OCR; auto-tone, auto orientatio atically straighten Up to 40 cpm Up to 40 cpm	 wild; watermark; stamps; book⁻modeon, auto-page-crop; multi-feed determents; stamps; book⁻modeon, auto-page-crop; multi-feed determents; but the second state of the second s	scans; erase edges; image previe tion; reverse and retry; documen Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with	wy: blank page suppression; so t editing; auto paper color Up to 70 cpm (with 8EP62AA Up to 70 cpm (with 8EP62AA As fast as 3.5 sec (with 8EP62AAE) As fast as 4.3 sec (with
	printed picture, photograph); co to multi destination; embeddec removal; job separation; autom Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex A4 Black Duplex A4 Color Duplex First copy out Letter Black	ntent orientation; ID scan; job b I OCR; auto-tone, auto orientatio atically straighten Up to 40 cpm Up to 40 cpm As fast as 4.9 sec	 wild; watermark; stamps; book mode on, auto-page-crop; multi-feed deter Up to 50 cpm (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 4.2 sec (with 	escans; erase edges; image previe tion; reverse and retry; documen Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) As fast as 3.8 sec (with	w; blank page suppression; so t editing; auto paper color Up to 70 cpm (with 8EP62AA Up to 70 cpm (with 8EP62AA As fast as 3.5 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE) As fast as 3.5 sec (with
	printed picture, photograph); cc to multi destination; embeddec removal; job separation; autom Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex A4 Black Duplex A4 Black Duplex First copy out Letter Black First copy out Letter Color	ntent orientation; ID Scan; job b I OCR; auto-tone, auto orientatio latically straighten Up to 40 cpm Up to 40 cpm As fast as 4.9 sec	 uild; watermark; stamps; book mode on, auto-page-crop; multi-feed deter Up to 50 cpm (with 8EP60AAE) Up to 50 cpm (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 	s cans; erase edges; image previe tion; reverse and retry; documen Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with	wy: blank page suppression; sc t editing; auto paper color Up to 70 cpm (with 8EP62AAI Up to 70 cpm (with 8EP62AAI As fast as 3.5 sec (with 8EP62AAE) As fast as 3.5 sec (with 8EP62AAE) As fast as 3.5 sec (with 8EP62AAE) As fast as 4.3 sec (with
opy speed	printed picture, photograph); cc to multi destination; embeddec removal; job separation; autom Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Black Duplex Letter Color Duplex A4 Black Duplex A4 Black Duplex First copy out Letter Black First copy out Letter Color First copy out A4 Black First copy out A4 Color	ntent orientation; ID 'scan'; job b I OCR; auto-tone, auto orientatio latically straighten Up to 40 cpm Up to 40 cpm As fast as 4.9 sec As fast as 6.5 sec As fast as 6.5 sec	 uild; watermark; stamps; book mode on, auto-page-crop; multi-feed deter Up to 50 cpm (with 8EP60AAE) Up to 50 cpm (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) 	escans; erase edges; image previe tion; reverse and retry; documen Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE)	w; blank page suppression; so t editing; auto paper color Up to 70 cpm (with 8EP62AA Up to 70 cpm (with 8EP62AA As fast as 3.5 sec (with 8EP62AAE) As fast as 3.5 sec (with 8EP62AAE)
opy speed	printed picture, photograph); cc to multi destination; embeddec removal; job separation; autom Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Black Duplex Letter Color Duplex A4 Black Duplex A4 Black Duplex First copy out Letter Black First copy out Letter Color First copy out A4 Black First copy out A4 Color Black (text and graphics); ; Up to	ntent orientation; ID Scan; job b I OCR; auto-tone, auto orientatio atically straighten Up to 40 cpm Up to 40 cpm As fast as 4.9 sec As fast as 4.9 sec	 uild; watermark; stamps; book mode on, auto-page-crop; multi-feed deter Up to 50 cpm (with 8EP60AAE) Up to 50 cpm (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) 	s cans; erase edges; image previe tion; reverse and retry; documen Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with	wy; blank page suppression; so t editing; auto paper color Up to 70 cpm (with 8EP62AA Up to 70 cpm (with 8EP62AA As fast as 3.5 sec (with 8EP62AAE) As fast as 3.5 sec (with 8EP62AAE) As fast as 3.5 sec (with 8EP62AAE) As fast as 3.5 sec (with
opy speed opy resolution laximum number of copies	printed picture, photograph); cc to multi destination; embeddec removal; job separation; autom Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Black Duplex Letter Color Duplex A4 Black Duplex A4 Black Duplex First copy out Letter Black First copy out Letter Color First copy out Letter Color First copy out A4 Black First copy out A4 Color Black (text and graphics); ; Up to Up to 9999 copies	ntent orientation; ID 'scan'; job b I OCR; auto-tone, auto orientatio latically straighten Up to 40 cpm Up to 40 cpm As fast as 4.9 sec As fast as 6.5 sec As fast as 6.5 sec	 uild; watermark; stamps; book mode on, auto-page-crop; multi-feed deter Up to 50 cpm (with 8EP60AAE) Up to 50 cpm (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) 	s cans; erase edges; image previe tion; reverse and retry; documen Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with	wy: blank page suppression; so t editing; auto paper color Up to 70 cpm (with 8EP62AA Up to 70 cpm (with 8EP62AA Sa fast as 3.5 sec (with 8EP62AAE) As fast as 3.5 sec (with 8EP62AAE) As fast as 3.5 sec (with 8EP62AAE) As fast as 4.3 sec (with
opy speed opy resolution faximum number of copies opier resize	printed picture, photograph); cc to multi destination; embeddec removal; job separation; autom Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Black Duplex Letter Color Duplex A4 Black Duplex A4 Black Duplex First copy out Letter Black First copy out Letter Black First copy out Letter Color First copy out A4 Black First copy out A4 Color Black (text and graphics): ; Up to Up to 9999 copies 25 to 400%	ntent orientation; ID Scan; job b I OCR; auto-tone, auto orientation attically straighten Up to 40 cpm Up to 40 cpm As fast as 4.9 sec As fast as 6.5 sec As fast as 6.5 sec 0 600 x 600 dpi ; Color (text and	 uild; watermark; stamps; book mode on, auto-page-crop; multi-feed deter Up to 50 cpm (with 8EP60AAE) Up to 50 cpm (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) 	scans; erase edges; image previe tion; reverse and retry; documen Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE)	wy: blank page suppression; so t editing; auto paper color Up to 70 cpm (with 8EP62AA Up to 70 cpm (with 8EP62AA Ly to 70 cpm (with 8EP62AA As fast as 3.5 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE)
opy speed opy resolution aximum number of copies opier resize	printed picture, photograph); cc to multi destination; embeddec removal; job separation; autom Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Black Duplex Letter Color Duplex A4 Color Duplex A4 Black Duplex First copy out Letter Black First copy out Letter Black First copy out Letter Color First copy out A4 Black First copy out A4 Black First copy out A4 Color Black (text and graphics): ; Up to Up to 9999 copies 25 to 400% Two-sided copying; scalability; photograph); N-Up; N or Z-orde automatically detect color/mon	ntent orientation; ID Scan; job b I OCR; auto-tone, auto orientatio latically straighten Up to 40 cpm Up to 40 cpm As fast as 4.9 sec As fast as 6.5 sec As fast as 6.5 sec As fast as 6.5 sec o 600 x 600 dpi ; Color (text and image adjustments (darkness, corring; content orientation; collatio ochrome; image preview; Image	 uild; watermark; stamps; book mode on, auto-page-crop; multi-feed deter Up to 50 cpm (with 8EP60AAE) Up to 50 cpm (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) 	escans; erase edges; image previe tion; reverse and retry; documen Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) ess); optimized text/picture (Auto orage; watermark; stamps; book n Page Suppression; Auto Orientat	wy: blank page suppression; so t editing; auto paper color Up to 70 cpm (with 8EP62AA Up to 70 cpm (with 8EP62AA Sa fast as 3.5 sec (with 8EP62AAE) As fast as 3.5 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE)
opy speed opy resolution laximum number of copies opier resize opier settings	printed picture, photograph); cc to multi destination; embeddec removal; job separation; autom Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Black Duplex Letter Color Duplex A4 Color Duplex A4 Black Duplex First copy out Letter Black First copy out Letter Black First copy out Letter Color First copy out A4 Black First copy out A4 Black First copy out A4 Color Black (text and graphics): ; Up to Up to 9999 copies 25 to 400% Two-sided copying; scalability; photograph); N-Up; N or Z-orde automatically detect color/mon	ntent orientation; ID Scan; job b I OCR; auto-tone, auto orientatio latically straighten Up to 40 cpm Up to 40 cpm As fast as 4.9 sec As fast as 4.9 sec As fast as 6.5 sec As fast as 6.5 sec o 600 x 600 dpi ; Color (text and image adjustments (darkness, c rring; content orientation; collatio ochrome; image preview; Image and Retry; Document Editing; Au	uild; watermark; stamps; book mode on, auto-page-crop; multi-feed deter Up to 50 cpm (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AE) Baptics): Up to 600 x 600 dpi	escans; erase edges; image previe tion; reverse and retry; documen Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) ess); optimized text/picture (Auto orage; watermark; stamps; book n Page Suppression; Auto Orientat	wy: blank page suppression; so t editing; auto paper color Up to 70 cpm (with 8EP62AA Up to 70 cpm (with 8EP62AA Sa fast as 3.5 sec (with 8EP62AAE) As fast as 3.5 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE)
opy speed opy resolution aximum number of copies opier settings ax speed	printed picture, photograph); cc to multi destination; embeddec removal; job separation; autom Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Black Duplex Letter Color Duplex A4 Color Duplex A4 Black Duplex First copy out Letter Black First copy out Letter Black First copy out Letter Color First copy out A4 Black First copy out A4 Black First copy out A4 Color Black (text and graphics): ; Up to Up to 9999 copies 25 to 400% Two-sided copying; scalability; photograph); N-Up; N or Z-orde automatically detect color/mon Multi-feed Detection; Reverse a Up to: 33.6 kbps / Letter: 3 sec	ntent orientation; ID Scan; job b I OCR; auto-tone, auto orientatio attically straighten Up to 40 cpm Up to 40 cpm As fast as 4.9 sec As fast as 4.9 sec As fast as 6.5 sec As fast as 6.5 sec o 600 x 600 dpi ; Color (text and image adjustments (darkness, or image adjustments (darkness), or image a	uild; watermark; stamps; book mode on, auto-page-crop; multi-feed deter Up to 50 cpm (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AE) Baptics): Up to 600 x 600 dpi	escans; erase edges; image previe tion; reverse and retry; documen Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) Pase Supression; Auto Orientat ion; Automatically Straighten;	wy: blank page suppression; so t editing; auto paper color Up to 70 cpm (with 8EP62AA Up to 70 cpm (with 8EP62AA Sa fast as 3.5 sec (with 8EP62AAE) As fast as 3.5 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE)
opy speed opy resolution aximum number of copies opier resize opier settings ax speed ax resolution	printed picture, photograph); cc to multi destination; embeddec removal; job separation; autom Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex A4 Color Duplex A4 Black Duplex First copy out Letter Black First copy out Letter Black First copy out Letter Color First copy out Letter Color First copy out A4 Black First copy out A4 Black First copy out A4 Color Black (text and graphics): ; Up to Up to 9999 copies 25 to 400% Two-sided copying; scalability; photograph); N-Up; N or Z-orde automatically detect color/mon Multi-feed Detection; Reverse a Up to: 33.6 kbps / Letter: 3 sec Black (best): Up to 300 x 300 dj Fax memory: Up to 500 pages; No Fax forwarding supported: Y	ntent orientation; ID Scan; job b I OCR; auto-tone, auto orientatio attically straighten Up to 40 cpm Up to 40 cpm As fast as 4.9 sec As fast as 4.9 sec As fast as 4.9 sec As fast as 6.5 sec As fast as 6.5 sec o 600 x 600 dpi ; Color (text and cring; content orientation; collatio ochrome; image preview; Image and Retry; Document Editing; Au per page pi (400 x 400 dpi for received fa Up to 500 pages Auto fax reduc (es Fax phone TAM interface sup m speed dialing numbers: Up to	 uild; watermark; stamps; book⁻mode on, auto-page-crop; multi-feed deter Up to 50 cpm (with 8EP60AAE) Up to 50 cpm (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) Barper Selection; collate; Blank to Paper Color Removal; Job Separat 	escans; erase edges; image previe tion; reverse and retry; documen Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) ess); optimized text/picture (Autor rage; watermark; stamps; book n Page Suppression; Auto Orientat ion; Automatically Straighten; dpi es Fax delayed sending: No Distin	wy: blank page suppression; so t editing; auto paper color Up to 70 cpm (with 8EP62AA Up to 70 cpm (with 8EP62AA Dy to 70 cpm (with 8EP62AA As fast as 3.5 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE) , text, mixed, printed picture, ionde scans; erase edges; ion; Auto Tone; Crop to page; ctive ring detection supported. No Junk
opy speed opy resolution aximum number of copies opier resize opier settings ax speed ax resolution ax Features	printed picture, photograph); cc to multi destination; embeddec removal; job separation; autom Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex A4 Color Duplex A4 Color Duplex First copy out Letter Black First copy out Letter Black First copy out Letter Black First copy out Letter Color First copy out A4 Black First copy out A4 Black First copy out A4 Color Black (text and graphics): ; Up to Up to 9999 copies 25 to 400% Two-sided copying; scalability; photograph); N-Up; N or Z-orde automatically detect color/mon Multi-feed Detection; Reverse a Up to: 33.6 kbps / Letter: 3 sec Black (best): Up to 500 pages; No Fax forwarding supported: Yes Maximu supported: No Telephone hand	ntent orientation; ID Scan; job b I OCR; auto-tone, auto orientatio atically straighten Up to 40 cpm Up to 40 cpm As fast as 4.9 sec As fast as 4.9 sec As fast as 4.9 sec As fast as 4.9 sec As fast as 6.5 sec As fast as 6.5 sec o 600 x 600 dpi ; Color (text and coring; content orientation; collati ochrome; image preview; Image ind Retry; Document Editing; Au per page pi (400 x 400 dpi for received fa Up to 500 pages Auto fax reduc (res Fax phone TAM interface sup m speed dialing numbers: Up to set supported: No	 uild; watermark; stamps; book mode, on, auto-page-crop; multi-feed determark; stamps; book mode, on, auto-page-crop; multi-feed determark; stamps; book mode, or auto-page-crop; multi-feed determark; stamps; book multi-feed determark; background cleanup, sharpin; book det; lD scan; job build; job stampt; book multi-feed determark; background cleanup, sharpin; book det; lD scan; job build; job stamps; book multi-feed determark; background cleanup, sharpin; book det; lD scan; job build; job stamps; book multi-feed determark; background cleanup, sharpin; book det; lD scan; job build; job stamps; book multi-feed determark; back determark; ba	escans; erase edges; image previe tion; reverse and retry; documen Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) ess); optimized text/picture (Auto rage; watermark; stamps; book n Page Suppression; Auto Orientat ion; Automatically Straighten; dpi ess Fax delayed sending: No Distin s (poll to receive only) Fax telephen tations) PC interface supported; Y	wy: blank page suppression; si t editing; auto paper color Up to 70 cpm (with 8EP62AA Up to 70 cpm (with 8EP62AA Saf sat as 3.5 sec (with 8EP62AAE) As fast as 3.5 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE) , text, mixed, printed picture, node scans; erase edges; ion; Auto Tone; Crop to page; ctive ring detection supported: No Junk es Remote retrieval capability
opy speed opy resolution aximum number of copies opier resize opier settings ax speed ax resolution ax Features tandard connectivity	printed picture, photograph); cc to multi destination; embeddec removal; job separation; autom Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex A4 Color Duplex A4 Color Duplex A4 Color Duplex First copy out Letter Black First copy out Letter Black First copy out Letter Color First copy out A4 Black First copy out A4 Black First copy out A4 Color Black (text and graphics):; Up tr Up to 9999 copies 25 to 400% Two-sided copying; scalability; photograph); N-Up; N or Z-orde automatically detect color/mon Multi-feed Detection; Reverse a Up to: 33.6 kbps / Letter: 3 sec Black (best): Up to 300 x 300 dp Fax memory: Up to 500 pages; No Fax forwarding supported: No Bark (best): Up to 500 pages; No Fax forwarding supported: No Bark (best): Up to 300 x 300 dp Fax memory: Up to 500 pages; No Fax forwarding supported: No Bark (best): Up to 300 x 300 dp Fax memory: Up to 500 pages; No Fax forwarding supported: No Bark (best): Up to 300 x 300 dp Fax memory: Up to 500 pages; No Fax forwarding supported: No Bark (best): Up to 300 x 300 dp Fax memory: Up to 500 pages; No Fax forwarding supported: No Bark (best): Up to 300 x 300 dp Fax memory: Up to 500 pages; No Fax forwarding supported: No Bark (best): Up to 500 pages; No Fax forwarding supported: No Bark (best): Up to 500 pages; No Fax forwarding supported: No Bark (best): Up to 500 pages; No Fax forwarding supported: No Bark (best): Up to 500 pages; No Bark (b	ontent orientation; ID Scan; job b I OCR; auto-tone, auto orientation attically straighten Up to 40 cpm Up to 40 cpm As fast as 4.9 sec As fast as 4.9 sec As fast as 6.5 sec As fast as 6.5 sec As fast as 6.5 sec as fast as 6.5 sec o 600 x 600 dpi ; Color (text and cring; content orientation; collation ochrome; image preview; Image ind Retry; Document Editing; Au per page pi (400 x 400 dpi for received fa Up to 500 pages Auto fax reduc (es Fax phone TAM interface sup m speed dialing numbers: Up to set supported: No OT network; 1 Hardware Integra	uild; watermark; stamps; book mode on, auto-page-crop; multi-feed deter Up to 50 cpm (with 8EP60AAE) Up to 50 cpm (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AE) As fast as 5.6 sec (with 8EP60AE) Stontrast, background cleanup, sharpn ion; booklet; ID scan; job build; job stic botker, Sarphice) Contrast, background cleanup, sharpn ion; booklet; ID scan; job build; job stic ported: No Fax polling supported: Ye 1000 numbers (each with	escans; erase edges; image previe tion; reverse and retry; documen Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) ess); optimized text/picture (Auto rage; watermark; stamps; book n Page Suppression; Auto Orientat ion; Automatically Straighten; dpi ess Fax delayed sending: No Distin s (poll to receive only) Fax telephen tations) PC interface supported; Y	wy: blank page suppression; so t editing; auto paper color Up to 70 cpm (with 8EP62AA Up to 70 cpm (with 8EP62AA Saf sat as 3.5 sec (with 8EP62AAE) As fast as 3.5 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE) , text, mixed, printed picture, node scans; erase edges; ion; Auto Tone; Crop to page; ctive ring detection supported one mode supported: No Junk es Remote retrieval capability
opy speed opy resolution laximum number of copies opier resize opier settings ax speed ax resolution ax Features tandard connectivity etwork capabilities	printed picture, photograph); cc to multi destination; embeddec removal; job separation; autom Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex A4 Color Duplex A4 Color Duplex A4 Color Duplex First copy out Letter Black First copy out Letter Black First copy out Letter Color First copy out A4 Black First copy out A4 Black First copy out A4 Color Black (text and graphics):; Up tr Up to 9999 copies 25 to 400% Two-sided copying; scalability; photograph); N-Up; N or Z-orde automatically detect color/mon Multi-feed Detection; Reverse a Up to: 33.6 kbps / Letter: 3 sec Black (best): Up to 300 x 300 dp Fax memory: Up to 500 pages; No Fax forwarding supported: N barrifer supported: Yes Maximur supported: No Telephone hand 1 Gigabit Ethernet 10/100/100	ontent orientation; ID Scan; job b I OCR; auto-tone, auto orientation attically straighten Up to 40 cpm Up to 40 cpm As fast as 4.9 sec As fast as 6.5 sec o 600 x 600 dpi ; Color (text and cring; content orientation; collation; collation; and per page pi (400 x 400 dpi for received fa Up to 500 pages Auto fax reduc (es Fax phone TAM interface sup m speed dialing numbers: Up to set supported: No 00T network; 1 Hardware Integration 00/1000T Ethernet)	uild; watermark; stamps; book mode on, auto-page-crop; multi-feed deter Up to 50 cpm (with 8EP60AAE) Up to 50 cpm (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AE) As fast as 5.6 sec (with 8EP60AE) Stontrast, background cleanup, sharpn ion; booklet; ID scan; job build; job stic botker, Sarphice) Contrast, background cleanup, sharpn ion; booklet; ID scan; job build; job stic ported: No Fax polling supported: Ye 1000 numbers (each with	escans; erase edges; image previe tion; reverse and retry; documen Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) ess); optimized text/picture (Auto rage; watermark; stamps; book n Page Suppression; Auto Orientat ion; Automatically Straighten; dpi ess Fax delayed sending: No Distin s (poll to receive only) Fax telephen tations) PC interface supported; Y	wy: blank page suppression; so t editing; auto paper color Up to 70 cpm (with 8EP62AA Up to 70 cpm (with 8EP62AA As fast as 3.5 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE) , text, mixed, printed picture, node scans; erase edges; ion; Auto Tone; Crop to page; ctive ring detection supported: No Junk es Remote retrieval capability
opy speed opy resolution aximum number of copies opier resize opier settings ax speed ax resolution ax Features tandard connectivity etwork capabilities fireless capability	printed picture, photograph); cc to multi destination; embeddec removal; job separation; autom Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex A4 Black Duplex A4 Color Duplex First copy out Letter Black First copy out Letter Black First copy out Letter Color First copy out Letter Color First copy out A4 Black First copy out A4 Black First copy out A4 Black First copy out A4 Color Black (text and graphics):; Up tr Up to 9999 copies 25 to 400% Two-sided copying; scalability; photograph); N-Up; N or Z-orde automatically detect color/mon Multi-feed Detection; Reverse a Up to: 33.6 kbps / Letter: 3 sec Black (best): Up to 300 x 300 dj Fax memory: Up to 500 pages; No Fax forwarding supported: Yes Maximur supported: No Telephone hand 1 Gigabli Ethernet 10/100/100 SuperSpeed USB 3.0 (host)	ontent orientation; ID Scan; job b I OCR; auto-tone, auto orientation attically straighten Up to 40 cpm Up to 40 cpm As fast as 4.9 sec As fast as 4.9 sec As fast as 6.5 sec o 600 x 600 dpi ; Color (text and cring; content orientation; collation; collation; and per page pi (400 x 400 dpi for received fa Up to 500 pages Auto fax reduc (res Fax phone TAM interface sup m speed dialing numbers: Up to set supported: No OT network; 1 Hardware Integration 00/1000T Ethernet) e of a hardware accessory	 uild; watermark; stamps; book mode on, auto-page-crop; multi-feed deter Up to 50 cpm (with 8EP60AAE) Up to 50 cpm (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) Igraphics): Up to 600 x 600 dpi 	escans; erase edges; image previe tion; reverse and retry; documen Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) ess); optimized text/picture (Auto rage; watermark; stamps; book n Page Suppression; Auto Orientat ion; Automatically Straighten; dpi es Fax delayed sending: No Distin s (poll to receive only) Fax telepho aations) PC interface supported; Y Hi-Speed USB 2.0 (host); 1 Super	wy: blank page suppression; si t editing; auto paper color Up to 70 cpm (with 8EP62AA Up to 70 cpm (with 8EP62AA Saf sat as 3.5 sec (with 8EP62AAE) As fast as 3.5 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE) , text, mixed, printed picture, node scans; erase edges; ion; Auto Tone; Crop to page; concerning detection supported: No Junk es Remote retrieval capability
opy speed opy resolution laximum number of copies opier resize opier resize opier settings ax speed ax resolution ax Features tandard connectivity etwork capabilities /ireless capability lobile printing capability lemory	printed picture, photograph); cc to multi destination; embeddec removal; job separation; autom Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex A4 Color Duplex A4 Black Duplex First copy out Letter Black First copy out Letter Black First copy out Letter Color First copy out Letter Color First copy out A4 Black First copy out A4 Black First copy out A4 Black First copy out A4 Color Black (text and graphics): ; Up to Up to 9999 copies 25 to 400% Two-sided copying; scalability; photograph); N-Up; N or Z-orde automatically detect color/mon Multi-feed Detection; Reverse a Up to: 33.6 kbps / Letter: 3 sec Black (best): Up to 300 x 300 dj Fax memory: Up to 500 pages; No Fax forwarding supported: Yes Maximur supported: No Telephone hand 1 Gigabit Ethernet 10/100/100 SuperSpeed USB 3.0 (host) Standard (built-in GIGABIT 10/1 Optional, enabled with purchas Apple AirPrint™; Mopria™ Certif	ontent orientation; ID Scan; job b I OCR; auto-tone, auto orientation attically straighten Up to 40 cpm Up to 40 cpm As fast as 4.9 sec As fast as 4.9 sec As fast as 6.5 sec As fast as 6.5 sec As fast as 6.5 sec As fast as 6.5 sec ab 600 x 600 dpi ; Color (text and Color (text and (text and	uild; watermark; stamps; book mode on, auto¬page-crop; multi-feed deter Up to 50 cpm (with 8EP60AAE) Up to 50 cpm (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AE) As fast as 5.6 sec	escans; erase edges; image previe tion; reverse and retry; documen Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) ess); optimized text/picture (Autor rage; watermark; stamps; book n Page Suppression; Auto Orientat ion; Automatically Straighten; dpi rint rint	wy: blank page suppression; si tediting; auto paper color Up to 70 cpm (with 8EP62AA Up to 70 cpm (with 8EP62AA As fast as 3.5 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE) , text, mixed, printed picture, node scans; erase edges; ion; Auto Tone; Crop to page; cotive ring detection supported: No Junk fes Remote retrieval capability Speed USB 3.0 (device); 1
opy speed opy resolution aximum number of copies opier resize opier settings ax speed ax resolution ax Features tandard connectivity etwork capabilities /ireless capability lobile printing capability emory rocessor speed	printed picture, photograph); cc to multi destination; embeddec removal; job separation; autom Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Black Duplex Letter Color Duplex A4 Color Duplex A4 Black Duplex First copy out Letter Black First copy out Letter Black First copy out Letter Color First copy out Letter Color First copy out A4 Black First copy out A4 Black First copy out A4 Black First copy out A4 Color Black (text and graphics): ; Up to Up to 9999 copies 25 to 400% Two-sided copying; scalability; photograph); N-Up; N or Z-orde automatically detect color/mon Multi-feed Detection; Reverse a Up to: 33.6 kbps / Letter: 3 sec Black (best): Up to 300 x 300 dj Fax memory: Up to 500 pages; No Fax forwarding supported: V barrier supported: Yes Maximur supported: No Telephone hand 1 Gigabit Ethernet 10/100/100 SuperSpeed USB 3.0 (host) Standard (built-in GIGABIT 10/1 Optional, enabled with purchas Apple AirPrint™; Mopria™ Certif Standard:6GB; Maximur:6GB Quad Core (1.6GH2), Dual Core	ntent orientation; ID Scan; job B I OCR; auto-tone, auto orientation attically straighten Up to 40 cpm Up to 40 cpm As fast as 4.9 sec As fast as 4.9 sec As fast as 6.5 sec As fast as 6.5 sec As fast as 6.5 sec As fast as 6.5 sec o 600 x 600 dpi ; Color (text and content orientation; collation iochrome; image preview; Image preview; Image preview; Image preview; Image preview; Image preview; Image preview; Image pre page pi (400 x 400 dpi for received fa Up to 500 pages Auto fax reduc (se Fax phone TAM interface sup m speed dialing numbers: Up to set supported: No OT network; 1 Hardware Integra 00/1000T Ethernet) e of a hardware accessory ied; Wi-Fi® Direct Printing; NFC 1	 uild; watermark; stamps; book mode on, auto-page-crop; multi-feed deter Up to 50 cpm (with 8EP60AAE) Up to 50 cpm (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AAE) Igraphics): Up to 600 x 600 dpi 	escans; erase edges; image previe tion; reverse and retry; documen Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) Hi-Speed USB 2.0 (host); 1 Super rint rint rint	wy: blank page suppression; so t editing; auto paper color Up to 70 cpm (with 8EP62AA Up to 70 cpm (with 8EP62AA Sa fast as 3.5 sec (with 8EP62AAE) As fast as 3.5 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE) ctive ring detection supported: No Junk es Remote retrieval capability Speed USB 3.0 (device); 1
opy speed opy resolution aximum number of copies opier resize opier settings ax speed ax resolution ax Features tandard connectivity etwork capabilities /ireless capability lobile printing capability emory rocessor speed	printed picture, photograph); cc to multi destination; embeddec removal; job separation; autom Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Black Duplex Letter Color Duplex A4 Color Duplex A4 Black Duplex First copy out Letter Black First copy out Letter Black First copy out Letter Color First copy out Letter Color First copy out A4 Black First copy out A4 Black First copy out A4 Black First copy out A4 Color Black (text and graphics): ; Up to Up to 9999 copies 25 to 400% Two-sided copying; scalability; photograph); N-Up; N or Z-orde automatically detect color/mon Multi-feed Detection; Reverse a Up to: 33.6 kbps / Letter: 3 sec Black (best): Up to 300 x 300 dj Fax memory: Up to 500 pages; No Fax forwarding supported: V barrier supported: Yes Maximur supported: No Telephone hand 1 Gigabit Ethernet 10/100/100 SuperSpeed USB 3.0 (host) Standard (built-in GIGABIT 10/1 Optional, enabled with purchas Apple AirPrint™; Mopria™ Certif Standard:6GB; Maximur:6GB Quad Core (1.6GH2), Dual Core	ntent orientation; ID Scan; job B I OCR; auto-tone, auto orientation attically straighten Up to 40 cpm Up to 40 cpm As fast as 4.9 sec As fast as 4.9 sec As fast as 6.5 sec As fast as 6.5 sec As fast as 6.5 sec As fast as 6.5 sec o 600 x 600 dpi ; Color (text and content orientation; collation iochrome; image preview; Image preview; Image preview; Image preview; Image preview; Image preview; Image preview; Image pre page pi (400 x 400 dpi for received fa Up to 500 pages Auto fax reduc (se Fax phone TAM interface sup m speed dialing numbers: Up to set supported: No OT network; 1 Hardware Integra 00/1000T Ethernet) e of a hardware accessory ied; Wi-Fi® Direct Printing; NFC 1	vuild; watermark; stamps; book [®] mode on, auto¬page-crop; multi-feed deter Up to 50 cpm (with 8EP60AAE) Up to 50 cpm (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AE) As fast as 5.6 sec (with 8EP60AE) As fast as 5.6 sec (with 8EP60AE) As fast as 6.6 sec (with 8EP60AE) A	escans; erase edges; image previe tion; reverse and retry; documen Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE)	wy: blank page suppression; so t editing; auto paper color Up to 70 cpm (with 8EP62AA Up to 70 cpm (with 8EP62AA Sa fast as 3.5 sec (with 8EP62AAE) As fast as 3.5 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE) , text, mixed, printed picture, node scans; erase edges; ion; Auto Tone; Crop to page; ctive ring detection supported: No Junk es Remote retrieval capability Speed USB 3.0 (device); 1 COGB Hard Disk Drive; AES 256 Up to 300,000 pages (with 8EP62AAE)
opy speed opy resolution faximum number of copies opier resize opier resize opier settings ax speed ax resolution ax Features tandard connectivity letwork capabilities Vireless capability fobile printing capability fobile printing capability femory frocessor speed huty cycle (monthly)	printed picture, photograph); cc to multi destination; embeddec removal; job separation; autom Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex A4 Color Duplex A4 Black Duplex First copy out Letter Black First copy out Letter Black First copy out Letter Color First copy out Letter Color First copy out A4 Black First copy out A4 Black First copy out A4 Color Black (text and graphics):; Up to Up to 9999 copies 25 to 400% Two-sided copying; scalability; photograph); N-Up; N or Z-orde automatically detect color/mon Multi-feed Detection; Reverse a Up to: 33.6 kbps / Letter: 3 sec Black (best): Up to 300 x 300 dj Fax memory: Up to 300 pages; No Fax forwarding supported: Yes Maximur supported: No Telephone hand 1 Gigabit Ethernet 10/100/100 SuperSpeed USB 3.0 (host) Standard (built-in GIGABIT 10/1 Optional, enabled with purchas Apple AirPrint™; Mopria™ Certif Standard:6GB; Maximum:6GB Quad Core (1.6GH2), Dual Core hardware encryption; Secure er	ontent orientation; ID Scan; job b I OCR; auto-tone, auto orientation attically straighten Up to 40 cpm Up to 40 cpm As fast as 4.9 sec As fast as 4.9 sec As fast as 6.5 sec o 600 x 600 dpi ; Color (text and content orientation; collation; collat	uild; watermark; stamps; book mode on, auto-page-crop; multi-feed deter up to 50 cpm (with 8EP60AAE) Up to 50 cpm (with 8EP60AAE) As fast as 4.2 sec (with 8EP60AAE) As fast as 5.6 sec (with 8EP60AE) As fast as 5.6 sec (with 8EP60AE) Back (standard): 203 x 98 tion supported: Yes Auto-redialing; Y ported: No Fax polling supported: Yes 1000 numbers (each with 210 destir 1000	escans; erase edges; image previe tion; reverse and retry; documen Up to 60 cpm (with 8EP61AAE) Up to 60 cpm (with 8EP61AAE) As fast as 3.8 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) As fast as 4.9 sec (with 8EP61AAE) ess); optimized text/picture (Auto rrage; watermark; stamps; book n Page Suppression; Auto Orientat ion; Automatically Straighten; dpi es Fax delayed sending: No Distin s (poll to receive only) Fax telephon ations) PC interface supported: Y Hi-Speed USB 2.0 (host); 1 Super rint rint rint	wy: blank page suppression; so t editing; auto paper color Up to 70 cpm (with 8EP62AA Up to 70 cpm (with 8EP62AA As fast as 3.5 sec (with 8EP62AAE) As fast as 4.3 sec (with 8EP62AAE) ctive ring detection supportec one mode supported: No Junk es Remote retrieval capability "Speed USB 3.0 (device); 1 OGB Hard Disk Drive; AES 256) Up to 300,000 pages (with

Data sheet | HP Color LaserJet Managed Flow MFP E877z Printer series

Technical specifications

Paper handling	Input Capacities: Up to 1140 sheets (Trav1: up to 100 sheets; Trav2: up to 520 sheets; Trav3: up to 520 sheets) Standard; Up to 50 envelopes; Input Capacities, Max:
raper narioung	up to 6,140 sheets; Output Capacities: Up to 500 sheets Standard; Up to 100 sheets; Duplex Options: Automatic; Envelope feeder: No; Standard paper trays; 3
Media types supported	Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy
	111-130g, Mid-WtGlossy 96-110g, Heavy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, HP
	Glossy 200g, Card-stock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Heavy Paperboard, Color Transparency, Labels,
	Letterhead, Envelope, Heavy Envelope, Preprinted, Pre-punched, Colored
Media weight supported	Tray 1, 2, 3: 16 to 86.5 lb bond; Tray 1, 2, 3: 60 to 325 g/m ²
Media sizes supported	Tray 1: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 12 x 18, 4 x 6, 5 x 7, 5 x 8,10 x 15, 8k, 16k, envelope #9, Envelope #10, Envelope Monarch; Tray 2: Letter, Statement, Oficio, 4 x 6, 5 x 7, 5 x 8,10 x 15, envelope #10, Envelope #9, Envelope #10, Envelope #9, Envelope #10, Envelope Monarch; Tray 3: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 12 x 18, 48, 16k, Tray 1: A3, A4, A4R, A5, A5R, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS), 10x15cm, Oficio, 8K, 16k, Postcard (JIS), Postcard (JIS), Envelope B5, Envelope C1, Tray 2: A4, A4R, A5, A5R, A6, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Oficio, 8K, 16k, Envelope B5, Envelope C5, Envelope C6, Envelope C1; Tray 3: A3, A4, A4R, A5, A6, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k, Envelope B5, Envelope C5, Envelope C6, Envelope C1; Tray 3: A3, A4, A4R, A5, A6, RA4, B4 (JIS), Oficio, 8K, 16k
Media Sizes Custom	Tray 1: 3.86 x 5.5 to 12.59 x 18 in; Tray 2: 3.86 x 5.5 to 9.5 x 11.69 in; Tray 3: 5.5 x 7.17 to 12.59 x 18 in Tray 1: 98 x 139.7 to 320 x 457.2 mm; Tray 2: 98 x 139.7 to 241.5 x 297 mm; Tray 3: 140 x 182 to 320 x 457.2 mm
What's in the box	5QK08A In box materials ; Guide install, Flyer Regulatory, Power Cords, Keyboard/Overlay for Z model, Label, Drums.
Replacement cartridges ⁴	HP Black Managed LJ Toner Cartridge (ISO Yield 50,000) W9170MC, HP Cyan Managed LJ Toner Cartridge (ISO Yield 45,000) W9171MC, HP Yellow Managed LJ Toner Cartridge (ISO Yield 45,000) W9172MC, HP Magenta Managed LJ Toner Cartridge (ISO Yield 45,000) W9173MC
Product dimensions	W x d x h: 638.8 x 745.9 x 933.9 mm; 25.2 x 29.4 x 36.8 in Maximum: 1656.7 x 1301 x 1503.9 mm; 65.2 x 51.2 x 59.2 in
Product weight	104.6 kg; 230.6 lb
Warranty features	90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to
-	hp.com/support to learn about HP award winning service and support options in your region.
Energy star certified	Yes
Ecolabels	EPEAT® registered; IT ECO Declaration; Blue Angel
Control panel	10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker
Display description	10.1-in (25.65 cm) touchscreen, WXGA Color Graphic Display (CGD)
Software included	No software solutions are included in the box, only on http://hp.com http://123.hp.com
Compatible operating	Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS
systems	
Compatible network	Windows 8; Windows Server; Linux; Citrix; UNIX
operating systems	
Minimum system	PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB
requirements	available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com
Power	Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 110 to 127 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 12.0 A 220 to 240 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 7.0 A 100 VAC (+/-10%), 50/60 Hz (+/-3 Hz), (Not dual voltage, power supply varies by part number with # Option code identifier); Power consumption: 820 watts (40ppm, printing), 890 watts (50ppm, printing), 1020 watts (60ppm, printing), 1100 watts (70ppm, printing), 41.5 watts (ready), 0.8 watts (auto-off), 0.2 watts (manual-off)
Acoustics	Acoustic power emissions: 6.70 Bel(A), printing color simplex A4 at 40ppm; 6.75 Bel(A), printing color simplex A4 at 50ppm; 6.85 Bel(A), printing color simplex A4 at 60ppm; 7.00 Bel(A), printing color simplex A4 at 70ppm; Acoustic Pressure Emissions (active, printing): 52dB(A), printing color simplex A4 at 40ppm; 53dB(A), printing color simplex A4 at 50ppm; 54dB(A), printing color simplex A4 at 50ppm; 54dB(A), printing color simplex A4 at 60ppm; 55dB(A), printing color simplex A4 at 70ppm; Acoustic Pressure Emissions (active scan): 54dB(A), ADF scan A4 at 90ppm; 59dB(A), ADF scan A4 at 150ppm
Operating environment	Operating temperature range: 15 to 30°C 59 to 86°F; Recommended operating temperature: 15 to 30°C 59 to 86°F; Storage temperature range: -10 to 40°C 14 to 104°F; Operating humidity range: 20 to 80% RH; Recommended humidity operating range: 20 to 80% RH

Messaging Footnotes

HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive in-class m s nos advanced embedded security reactives are available on the managed and emprines of which the futures inter immarker 4.5 or advanced embedded in the review of 2021 published reactives of competitive in-class of printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: http://www.hp.com/go/PrintersChurtyClaims . ² Compatible products, visit: hp.com/go/PrintersThatProtect. For more information, visit: http://www.hp.com/go/PrintersCeurityClaims . ³ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. Measured using standards found at: ³ http://standards.iso.org/ittf/PubliclyAvailableStandards/SC28_Test_Pages/ ³ Based on HP review of competitive manufacturer's published app platform specifications as of April 2019. Only HP Workpath offers a combination of app validation upon submission plus automated re-validation of apps. To enable the whether may be available of the upgraded sub-cription may be required.

⁴ enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Subscription may be required. ⁴ e HP Security is now HP Wolf Security. Security features vary by platform. For more information, visit http://www.hp.com/wolfsecurity.

- HP Security Is now HP word security. Security reatures vary by platform. For more information, visit http://www.np.com/wordsecurity.

100% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced certified and recycled fibers. 100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed. See http://www.hp.com/go/TonerRecycledContent for list. Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic. HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines. HP printer, HP paper and Original HP supply - Blue Angel DE-UZ 219 Emissions Criteria.

Technical Specifications Footnotes

¹ Neasured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

² Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

³ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
 ⁴ Approximate average yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/go/learnaboutsupplies.



To learn more, visit hp.com

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express war accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein September 2022

