

## SAFETY DATA SHEET

<b>SDS Number:</b>	262, REV Q PITNEY BOWES INC.	<b>Effective Date:</b>	May 20, 2003
<b>Product Identifier:</b>	621-1, 765-9, 766-8, 772-6, 772-7, 793-5, 793-5P, SL-798-0, SL-870-1	<b>Revised Date:</b>	February 12, 2020
		<b>Page:</b>	1 of 9

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

**1.1 Product Identifier**

**Reorder Numbers:** 621-1, 765-9, 766-8, 772-6, 772-7, 793-5, 793-5P, SL-798-0, SL-870-1

**1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against**

**Product Use:** Ink cartridge

**1.3 Details of the Supplier of the Safety Data Sheet**

**Manufacturer:**

**US Facility:**

Pitney Bowes Inc.  
27 Waterview Drive  
Shelton, CT 006484  
United States

**UK Facility:**

Building 5 Trident Place  
Hatfield Business Park  
Mosquito Way  
Hatfield  
Hertfordshire, AL10 9UJ  
United Kingdom

**Canada Distributer:**

Pitney Bowes Ltd.  
5500 Explorer Drive  
Mississauga, Ontario  
L4W 5C7  
Canada

**Information Phone**

**Number:**

800-243-7824

+44(0) 8705 252 525

905-619-7861

**E-mail:**

[ehs@pb.com](mailto:ehs@pb.com)

**SDS Website:**

[www.pb.com/sds](http://www.pb.com/sds)

**1.4 Emergency Telephone Number**

**Emergency Spill  
Information**

203-922 5340  
*North America*

00-1-203-922 5340  
*International*

**SDS Date of Preparation:** February 12, 2020

### SECTION 2: HAZARDS IDENTIFICATION

**2.1 Classification of the Substance or Mixture**

**US OSHA HAZCOM 2012 / CANADA WHIMS 2015 GHS Classification:**

<b>Physical:</b>	<b>Health:</b>	<b>Environmental</b>
Not Classified	Specific Target Organ Toxicity –Repeat Exposure Category 2	Not Classified

## SAFETY DATA SHEET

<b>SDS Number:</b>	262, REV Q PITNEY BOWES INC.	<b>Effective Date:</b>	May 20, 2003
<b>Product Identifier:</b>	621-1, 765-9, 766-8, 772-6, 772-7, 793-5, 793-5P, SL-798-0, SL-870-1	<b>Revised Date:</b>	February 12, 2020
		<b>Page:</b>	2 of 9

### CLP/GHS Classification (1272/2008):

<b>Physical:</b>	<b>Health:</b>	<b>Environmental</b>
Not Classified	Not Classified	Not Classified

### 2.2 Label Elements:

-US OSHA HAZCOM 2012 / CANADA WHIMS 2015

#### WARNING!



#### Hazard Phrases

H373	May cause damage to thyroid through prolonged or repeated exposure.
------	---------------------------------------------------------------------

#### Precautionary Phrases

P260	Do not breathe vapor or mist.
P314	Get medical attention if you feel unwell.
P501	Dispose of container and contents to approved disposal site in accordance with all local and national regulations.

### -CLP (1272/2008):

Contains: 1,2-benzisothiazol-3(2H)-one

May produce an allergic reaction.

Contains less than 30% of components with unknown hazards to the aquatic environment.

### 2.3 Other Hazards: None

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures:

Chemical Name	CAS#	EINECS#	GHS Classification Regulation (EC) No 1272/2008	%
Water	7732-18-5	231-791-2	Not Classified	60-80
Glycerin	56-81-5	200-289-5	Not Classified	5-10
Ethylene urea	120-93-4	204-436-4	Eye Irrit. 2A (H319) STOT RE 2 (H373)	5-10
Surfactant – Poly(oxy-1,2-ethanediyl), alpha, alpha'-(1,4-	9014-85-1	500-022-5	Eye Dam. 1 (H318) Aqua. Chron. 3 (H412)	1-5

## SAFETY DATA SHEET

<b>SDS Number:</b>	262, REV Q PITNEY BOWES INC.	<b>Effective Date:</b>	May 20, 2003
<b>Product Identifier:</b>	621-1, 765-9, 766-8, 772-6, 772-7, 793-5, 793-5P, SL-798-0, SL-870-1	<b>Revised Date:</b>	February 12, 2020
		<b>Page:</b>	3 of 9

dimethyl-1,4-bis(2-methylpropyl)-2-butyne-1,4-diyl)bis(omega-hydroxy)				
Dye – Hexasodium 2,2'-(6-morpholino-1,3,5-triazine-2,4-diyl)bis(imino(2-sulphonato-4,1-phenylene)vinylene(3-sulphonato-4,1-phenylene)))bis(2H-naphtho(1,2-d)triazole-5-sulphonate)	73398-48-8	277-447-5	Eye Dam. 1 (H318)	1-5

See Section 16 for further information on GHS Classification.

### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of First Aid Measures

**Eyes:** Flush with plenty of running cold water for several minutes, holding eyelids open to assure thorough rinsing. Get medical attention if irritation develops or persists.

**Skin:** Wash with soap and water. Remove contaminated clothing and launder before reuse. Get medical attention if irritation develops or persists.

**Inhalation:** Remove to fresh air. Get medical attention if irritation develops or persists.

**Ingestion:** If large amounts are swallowed, do not induce vomiting unless directed by a doctor or physician. Get medical attention.

**Notes to Physicians:** Treat symptomatically.

**4.2 Most Important symptoms and effects, both acute and delayed:** May cause mild eye and skin irritation. Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, head ache and nausea. Ingestion may cause abdominal pain, diarrhea, dizziness, drowsiness, head ache and nausea.

**4.3 Indication of any immediate medical attention and special treatment needed:**  
Immediate medical treatment should not be required.

### SECTION 5: FIRE FIGHTING MEASURES

#### 5.1 Extinguishing Media:

Use water spray, carbon dioxide, dry chemical or foam to extinguish fire.

#### 5.2 Special Hazards Arising from the Substance or Mixture

**Unusual Fire and Explosion Hazards:** None known.

**Hazardous Decomposition Products:** Carbon oxides.

#### 5.3 Advice for Fire-Fighters:

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

## SAFETY DATA SHEET

<b>SDS Number:</b>	262, REV Q PITNEY BOWES INC.	<b>Effective Date:</b>	May 20, 2003
<b>Product Identifier:</b>	621-1, 765-9, 766-8, 772-6, 772-7, 793-5, 793-5P, SL-798-0, SL-870-1	<b>Revised Date:</b>	February 12, 2020
		<b>Page:</b>	4 of 9

### SECTION 6: ACCIDENTAL RELEASE MEASURES

**6.1 Personal Precautions, Protective Equipment and Emergency Procedures:**

Avoid contact with eyes, skin and clothing.

**6.2 Environmental Precautions:**

It is recommended to keep away from drains, surface and ground water.

**6.3 Methods and Material for Containment and Cleaning Up:**

Large Spill: Ventilate the area. Contain spill and absorb with an inert absorbent. Place in an appropriate container for proper disposal.

Small Spill: Wipe up with absorbent material and place into a suitable container for disposal. Clean area with a damp cloth to remove residue.

**6.4 Reference to Other Sections:**

Refer to Section 8 for protective equipment and Section 13 for disposal considerations.

### SECTION 7: HANDLING AND STORAGE

**7.1 Precautions for Safe Handling:**

Avoid contact with eyes, skin, and clothing. Wash thoroughly after use.

**7.2 Conditions for Safe Storage, Including any Incompatibilities:**

Keep away from excessive heat and cold. Keep out of the reach of children.

**7.3 Specific end use(s):**

Ink for Postage Meter

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**8.1 Control Parameters:**

Chemical Name	Exposure Limits
Water	None Established
Glycerin United States	15 mg/m <sup>3</sup> TWA (Total dust) OSHA PEL 5 mg/m <sup>3</sup> TWA (Respirable fraction) OSHA PEL
Australia	10 mg/m <sup>3</sup> TWA
Germany	200 mg/m <sup>3</sup> TWA (Inhalable); 400 mg/m <sup>3</sup> STEL (Inhalable)
Spain	10 mg/m <sup>3</sup> TWA
United Kingdom	10 mg/m <sup>3</sup> TWA
Ethylene urea	None Established
Surfactant – Poly(oxy-1,2-ethanediyl), alpha, alpha'-(1,4-dimethyl-1,4-bis(2-methylpropyl)-2-butyne-1,4-diyl)bis(omega-hydroxy)	None Established

## SAFETY DATA SHEET

<b>SDS Number:</b>	262, REV Q PITNEY BOWES INC.	<b>Effective Date:</b>	May 20, 2003
<b>Product Identifier:</b>	621-1, 765-9, 766-8, 772-6, 772-7, 793-5, 793-5P, SL-798-0, SL-870-1	<b>Revised Date:</b>	February 12, 2020
		<b>Page:</b>	5 of 9

Dye – Hexasodium 2,2'-((6-morpholino-1,3,5-triazine-2,4-diyl)bis(imino(2-sulphonato-4,1-phenylene)vinylene(3-sulphonato-4,1-phenylene)))bis(2H-naphtho(1,2-d)triazole-5-sulphonate)	None Established
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------

Refer to local regulations for occupational exposure limits not listed above.

### 8.2 Exposure Controls:

**Engineering Controls:** General ventilation sufficient to keep exposure below exposure limits.

**Respiratory Protection:** None normally required.

**Skin Protection:** None normally required. Wear rubber gloves if needed to avoid skin contact.

**Eye Protection:** None normally required. Wear safety glasses if eye contact is possible.

**Other:** Not required.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic Physical and Chemical Properties:

<b>Appearance:</b> Red liquid.	<b>Vapor Density:</b> Not determined
<b>Odor:</b> Slight	<b>Specific Gravity:</b> 1.00-1.10
<b>Odor Threshold:</b> Not determined	<b>Water Solubility:</b> Miscible
<b>pH:</b> 8-9	<b>Octanol/Water Partition Coefficient:</b> Not determined
<b>Melting Point/Freezing Point:</b> Not determined	<b>Autoignition Temperature:</b> Not determined
<b>Boiling Point:</b> Not determined	<b>Decomposition Temperature:</b> Not determined
<b>Flash Point:</b> None	<b>Viscosity:</b> 1-5 ( mPa s)
<b>Evaporation Rate:</b> Not determined	<b>Explosion Properties:</b> Not determined
<b>Flammable Limits:</b> LEL: Not applicable UEL: Not applicable	<b>Oxidizing Properties:</b> Not determined
<b>Vapor Pressure:</b> Not determined	<b>VOC:</b> Not determined

### 9.2 Other Information:

None

## SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity:

Not reactive under normal conditions of use.

### 10.2 Chemical Stability:

Stable.

## SAFETY DATA SHEET

<b>SDS Number:</b>	262, REV Q PITNEY BOWES INC.	<b>Effective Date:</b>	May 20, 2003
<b>Product Identifier:</b>	621-1, 765-9, 766-8, 772-6, 772-7, 793-5, 793-5P, SL-798-0, SL-870-1	<b>Revised Date:</b>	February 12, 2020
		<b>Page:</b>	6 of 9

### 10.3 Possibility of Hazardous Reactions:

None known.

### 10.4 Conditions to Avoid:

None known.

### 10.5 Incompatible Materials:

Avoid strong oxidizers, acids, and strong bases.

### 10.6 Hazardous Decomposition Products:

Carbon oxides, and Ammonia.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on Toxicological Effects:

**Eyes:** May cause mild eye irritation.

**Skin:** May cause mild skin irritation.

**Ingestion:** Swallowing large amounts may cause abdominal pain, headache, dizziness, drowsiness, nausea, vomiting and diarrhea.

**Inhalation:** No adverse effects expected under normal use. High vapor concentrations due to heating may cause upper respiratory tract irritation with possible headache, dizziness, drowsiness, and nausea.

### Acute Toxicity Values:

Product	Not acutely toxic		
Water	Not acutely toxic		
Glycerin	LD50: 6,500 mg/kg	Rat	Oral
	LC50: > 570 mg/m <sup>3</sup> / 1 hr	Rat	Inhalation
Ethylene urea	LD50: >5,010 mg/kg	Rat	Oral
	LC50: >2,000 mg/kg	Rat	Dermal
Poly (oxy-1,2-ethanediy),.alpha,.alpha. '-[1,4-dimethyl- 1,4-bis(2-methylpropyl)-2- butyne-1,4-diy]bis[. omega.-hydroxy-:	LD50: 200-300 g/kg	Rat	Oral
	LC50: >2,000 mg/kg	Rat	Dermal
2H-Naphtho[1,2-d]triazole-5-sulfonic acid, 2,2'-[[6-(4-morpholinyl)-1,3,5-triazine-2,4-diy]]bis [imino(2-sulfo-4,1-phenylene)-2,1-ethenediy(3-sulfo-4,1-phenylene)]bis-, hexasodium salt:	No toxicity data available.		

**Irritation:** This product is not expected to cause eye or skin irritation based on animal studies.

Eye: Slightly-irritating (rabbit) OECD Guidelines No.405 (2002), 92/69/EEC Method B5

Skin: Non-irritant (rabbit) OECD Guidelines No.404 (2002), 92/69/EEC Method B4

**Corrosivity:** This product is not expected to cause eye or skin corrosion based on animal studies.

**Sensitization:** This product is not classified as a sensitizer based on animal studies.

Non-sensitizer (guinea pig) OECD Guidelines No.406 (1992), 96/54/EC Method B42.

## SAFETY DATA SHEET

<b>SDS Number:</b>	262, REV Q PITNEY BOWES INC.	<b>Effective Date:</b>	May 20, 2003
<b>Product Identifier:</b>	621-1, 765-9, 766-8, 772-6, 772-7, 793-5, 793-5P, SL-798-0, SL-870-1	<b>Revised Date:</b>	February 12, 2020
		<b>Page:</b>	7 of 9

### Specific Target Organ Toxicity:

Single Exposure: No data available.

Repeat Exposure: Ethylene urea may cause damage to thyroid through prolonged or repeated exposure. Prolonged intentional inhalation may result in respiratory tract irritation.

**Carcinogen Status:** None of the components of this product are classified as carcinogens by IARC, OSHA, NTP, ACGIH, or the EU CLP.

**Germ Cell Mutagenicity:** This product is not a mutagen. AMES test: Negative (S.typhimurium & E. Coli)

**Toxicity for Reproduction:** This product is not classified as a reproductive hazard.

**Aspiration Hazard:** Not an aspiration hazard.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 Toxicity:

No data available for product.

Glycerol: LC50 Daphnia magna (Water flea) >10000 mg/L/ 24 hr;  
LC50 Goldfish >5000 mg/L/ 24 hr.

Ethylene urea: LC50 Oncorhynchus mykiss >122 mg/L/ 96 hr.  
LC50 Daphnia magna (Water flea) 5,600 mg/L/ 48 hr.

Poly (oxy-1,2-ethanediyl),.alpha,.alpha. '-[1,4-dimethyl- 1,4-bis(2-methylpropyl)-2- butyne-1,4-diyl]bis[. omega.-hydroxy-: LC50 Cyprinus carpio 42 mg/L/ 96 hr.  
LC50 Daphnia magna (Water flea) 91 mg/L/ 48 hr.

### 12.2 Persistence and Degradability:

No data available for product.

Glycerol: Biodegradation rate constants of 0.258/day and 0.200/day in respirometric test systems employing activated sludge have been reported, corresponding to 68% and 78% degradation, respectively.

Ethylene urea: Readily biodegradable

Poly(oxy-1,2-ethanediyl),.alpha,.alpha. '-[1,4-dimethyl- 1,4-bis(2-methylpropyl)-2- butyne-1,4-diyl]bis[. omega.-hydroxy-: Not readily bio-degradable.

### 12.3 Bioaccumulative Potential:

No data available for product.

Glycerol: An estimated BCF of 3 was calculated in fish for glycerin, using a log Kow of -1.76 and a regression-derived equation. According to a classification scheme, this BCF suggests the potential for bioconcentration in aquatic organisms is low.

Poly(oxy-1,2-ethanediyl),.alpha,.alpha. '-[1,4-dimethyl- 1,4-bis(2-methylpropyl)-2- butyne-1,4-diyl]bis[. omega.-hydroxy-: Not a high bio-concentration potential.

### 12.4 Mobility in Soil:

No data available for product.

Glycerol: is expected to have very high mobility in soil

### 12.5 Results of PBT and vPvB Assessment:

## SAFETY DATA SHEET

<b>SDS Number:</b>	262, REV Q PITNEY BOWES INC.	<b>Effective Date:</b>	May 20, 2003
<b>Product Identifier:</b>	621-1, 765-9, 766-8, 772-6, 772-7, 793-5, 793-5P, SL-798-0, SL-870-1	<b>Revised Date:</b>	February 12, 2020
		<b>Page:</b>	8 of 9

Not required.

### 12.6 Other Adverse Effects:

None.

## SECTION 13: DISPOSAL INFORMATION

### 13.1 Waste Treatment Methods

Dispose in accordance with local, state or provincial and federal or national regulations.

## SECTION 14: TRANSPORT INFORMATION

	14.1 UN Number	14.2 UN Proper Shipping Name	14.3 Transport Hazard Class(s)	14.4 Packing Group	14.5 Environmental Hazards
<b>US DOT</b>	None	Not regulated for transport	None	None	No
<b>EU ADR/RID</b>	None	Not regulated for transport	None	None	No
<b>IATA:</b>	None	Not regulated for transport	None	None	No
<b>IMDG</b>	None	Not regulated for transport	None	None	No

### 14.6 Special Precautions for User:

None

### 14.7 Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code:

Not applicable

## SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture:

#### **International Inventories:**

**US EPA TSCA Inventory:** All of the components are listed on the EPA TSCA inventory.

**Canadian Environmental Protection Act:** All of the ingredients are listed on the Canadian Domestic Substances List (DSL). Ink cartridges are exempt.

**Japanese Regulations:** All of the ingredients of this product are listed on the Japanese Existing and New Chemical Substances Inventory (ENCS). Ink cartridges are exempt.

**Philippine Regulations:** All of the components of this product are listed on the Philippine Inventory of Chemicals and Chemical Substances (PICCS).

**New Zealand Regulations:** All of the components of this product are listed on the New Zealand Inventory of Chemicals (NZIoC). Ink cartridges are exempt.

**Korean Regulations:** All of the components of this product are listed on the Korean Existing Chemical List (KECL).

**Taiwan Regulations:** All of the components of this product are listed on the Taiwan Chemical Substance Inventory (TCSI).



## SAFETY DATA SHEET

<b>SDS Number:</b>	262, REV Q PITNEY BOWES INC.	<b>Effective Date:</b>	May 20, 2003
<b>Product Identifier:</b>	621-1, 765-9, 766-8, 772-6, 772-7, 793-5, 793-5P, SL-798-0, SL-870-1	<b>Revised Date:</b>	February 12, 2020
		<b>Page:</b>	9 of 9

### U.S. REGULATIONS

**CERCLA:** Spills of this product are required to be reported to the National Response Center. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

**EPA SARA 302:** This product does not contain chemicals regulated under SARA Section 302.

**EPA SARA 311 Hazard Classification:** As per OSHA GHS classification in Section 2 of this SDS.

**EPA SARA 313:** This product contains the following chemicals that are regulated under SARA Title III, section 313: None

**California Proposition 65:** This product contains the following chemicals which are known to the State of California to cause cancer, reproductive toxicity or birth defects: None.

### INTERNATIONAL REGULATIONS

**German WGK:** Not determined.

**Other EU Regulations:** This product is classified and labeled in accordance with EC CLP. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006 (REACH). Classification is based on either test data or the calculation method.

#### **15.2 Chemical Safety Assessment:** Not required

<b>SECTION 16: OTHER INFORMATION</b>
--------------------------------------

**NFPA Codes:** Health: 1 Fire: 0 Instability: 0  
**HIMS Codes:** Health: 1\* Fire: 0 Physical Hazard: 0  
\*Chronic Health Hazard.

#### **GHS Phrases for Reference (See Section 2 and 3):**

Aqua. Chron. 3 – Aqua Chronic Toxicity Category 3  
Eye Dam. 1 – Eye Damage Category 1  
Eye Irrit. 2A – Eye Irritation Category 2A  
STOT RE 2 – Specific Target Organ Toxicity-Repeat Exposure Category 2  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation  
H373 May cause damage to organs through prolonged or repeated exposure.  
H412 Harmful to aquatic life with long lasting effects.

**Date of current revision:** February 12, 2020

**Revision Summary:** Re-format Section 2 to show US / EU classification and label elements. Add re-order number.  
Emergency phone number updated in November 2020.

**Date of previous revision:** June 03, 2019

**Gensuite Approval Date:** May 8, 2019  
**SDS Prepared By:** Chemical Review Team (CRT)