

**SAFETY DATA SHEET**

<b>SDS Number:</b>	285, REV G PITNEY BOWES INC.	<b>Effective Date:</b>	February 19, 2009
<b>Product Name:</b>	Non-Fluorescent Blue Ink for K700, K754, & DM60	<b>Revised Date:</b>	September 22, 2015
		<b>Page:</b>	1 of 8

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE  
AND THE COMPANY/UNDERTAKING****1.1 Product Identifier**

**Trade Name:** Non-Fluorescent Blue Ink for K700, K754, & DM60  
**Reorder Number:** 797-0SB

**1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against  
Product Use:** Printer Cartridge**1.3 Details of the Supplier of the Safety Data Sheet  
Manufacturer:**

**US Facility:**  
Pitney Bowes Inc.  
27 Waterview Drive  
MSC 27-3C  
Shelton, CT 006484  
United States

**UK Facility:**  
Building 5 Trident Place  
Hatfield Business Park  
Mosquito Way  
Hatfield  
Hertfordshire, AL10 9UJ  
United Kingdom

**Canada Distributer:**  
Pitney Bowes Ltd.  
5500 Explorer Drive  
Mississauga, Ontario  
L4W 5C7  
Canada

**Information Phone  
Number:**  
800-243-7824

+44(0) 8705 252 525

905-619-7861

**E-mail:** [ehs@pb.com](mailto:ehs@pb.com)

**SDS Website:** [www.PB.com/SDS](http://www.PB.com/SDS)

**1.4 Emergency Telephone Number**

**Emergency Spill  
Information**                      203-922 5340                      00-1-203-922 5340  
*North America*                      *International*

**SDS Date of Preparation:** September 22, 2015

**SECTION 2: HAZARDS IDENTIFICATION****2.1 Classification of the Substance or Mixture**

**CLP/GHS Classification (1272/2008):** Not classified as hazardous.

**2.2 Label Elements:** US: None Required.

EU: Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

**2.3 Other Hazards:** None

## SAFETY DATA SHEET

<b>SDS Number:</b>	285, REV G PITNEY BOWES INC.	<b>Effective Date:</b>	February 19, 2009
<b>Product Name:</b>	Non-Fluorescent Blue Ink for K700, K754, & DM60	<b>Revised Date:</b>	September 22, 2015
		<b>Page:</b>	2 of 8

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances:

Chemical Name	CAS#	EINECS#	GHS Classification Regulation (EC) No 1272/2008	%
Water	7732-18-5	231-791-2	Not Applicable	60-70
Glycerol	56-81-5	200-289-5	Not Applicable	15-25
Dyes and Toners	Proprietary	Proprietary	Not Applicable	1-5
Triethylene glycol mono-n-butyl ether	143-22-6	205-592-6	Eye Dam. 1 (H318)	< 3
1,2- benzisothiazol-3 (2H)	2634-33-5	220-120-9	Acute Tox. 4 (H302), Skin Irrit. 2 (H315), Skin Sens. 1 (H317), Eye Dam. 1 (H318), Acute Aquatic Tox 1 (H400)	0.015 - <0.5

See Section 16 for further information on GHS Classification.

### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of First Aid Measures

**Eyes:** Flush eyes with plenty of cool water, holding eyelids open to assure thorough rinsing. Get medical attention if irritation develops or persists.

**Skin:** Wash with soap and water. Get medical attention if irritation develops or persists.

**Inhalation:** Remove to fresh air. Get medical attention if irritation develops or persists.

**Ingestion:** If small amounts are ingested, no first aid should be necessary. If large amounts are swallowed, do not induce vomiting unless directed by a medical professional. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Get medical attention.

**Notes to Physicians:** Treat symptomatically.

**4.2 Most Important symptoms and effects, both acute and delayed:** May cause mild eye irritation.

**4.3 Indication of any immediate medical attention and special treatment needed:**  
Immediate medical treatment should not be required

### SECTION 5: FIRE FIGHTING MEASURES

#### 5.1 Extinguishing Media:

Use water spray, carbon dioxide, dry chemical or foam to extinguish fire.

#### 5.2 Special Hazards Arising from the Substance or Mixture

**Unusual Fire and Explosion Hazards:** None known.

**Hazardous Decomposition Products:** Carbon monoxide, carbon dioxide.

## SAFETY DATA SHEET

<b>SDS Number:</b>	285, REV G PITNEY BOWES INC.	<b>Effective Date:</b>	February 19, 2009
<b>Product Name:</b>	Non-Fluorescent Blue Ink for K700, K754, & DM60	<b>Revised Date:</b>	September 22, 2015
		<b>Page:</b>	3 of 8

### 5.3 Advice for Fire-Fighters:

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Avoid contact with eyes, skin and clothing.

### 6.2 Environmental Precautions:

It is recommended to keep away from drains; surface and ground water.

### 6.3 Methods and Material for Containment and Cleaning Up:

Large Spill: Not sold in large quantities.

Small Spill: Wipe up with absorbent material and place into a suitable container for disposal. Rinse area with a damp cloth to remove residue.

### 6.4 Reference to Other Sections:

Refer to Section 8 for protective equipment and Section 13 for disposal considerations.

## SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for Safe Handling:

Avoid contact with eyes, skin, and clothing. Wash thoroughly after use.

### 7.2 Conditions for Safe Storage, Including any Incompatibilities:

Keep away from excessive heat and cold. Keep out of the reach of children.

### 7.3 Specific end use(s):

Printer Cartridge

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control Parameters:

Chemical Name	Exposure Limits
Water	None Established
Glycerol	
United States	15 mg/m <sup>3</sup> TWA (Total dust) OSHA PEL 5 mg/m <sup>3</sup> TWA (Respirable fraction) OSHA PEL
Australia	10 mg/m <sup>3</sup> TWA
Germany	50 mg/m <sup>3</sup> TWA (Inhaleable); 100 mg/m <sup>3</sup> STEL (Inhaleable)
Spain	10 mg/m <sup>3</sup> TWA
United Kingdom	10 mg/m <sup>3</sup> TWA
Triethylene glycol mono-n-butyl ether	None Established
Dyes and Toners	None Established

## SAFETY DATA SHEET

<b>SDS Number:</b>	285, REV G PITNEY BOWES INC.	<b>Effective Date:</b>	February 19, 2009
<b>Product Name:</b>	Non-Fluorescent Blue Ink for K700, K754, & DM60	<b>Revised Date:</b>	September 22, 2015
		<b>Page:</b>	4 of 8

### 8.2 Exposure Controls:

**Engineering Controls:** General ventilation sufficient to keep exposure below exposure limits.

**Respiratory Protection:** None normally required.

**Skin Protection:** None normally required. Wear rubber gloves if needed to avoid skin contact.

**Eye Protection:** None normally required. Wear safety glasses if eye contact is possible.

**Other:** Not required.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic Physical and Chemical Properties:

<b>Appearance:</b> Ink cartridge containing a blue liquid.	<b>Vapor Density:</b> Not determined
<b>Odor:</b> Slight odor	<b>Specific Gravity:</b> 1.0-1.1
<b>Odor Threshold:</b> Not determined	<b>Water Solubility:</b> Soluble
<b>pH:</b> Not determined	<b>Octanol/Water Partition Coefficient:</b> Not determined
<b>Melting Point/Freezing Point:</b> < -5°C (23°F)	<b>Autoignition Temperature:</b> Not determined
<b>Boiling Point:</b> >100°C (212°F)	<b>Decomposition Temperature:</b> Not determined
<b>Flash Point:</b> Does not flash at 93.3°C (199.9°F) or lower.	<b>Viscosity:</b> 1-5 mPa s
<b>Evaporation Rate:</b> Not determined	<b>Explosion Properties:</b> Not determined
<b>Flammable Limits:</b> LEL: Not determined UEL: Not determined	<b>Oxidizing Properties:</b> Not determined
<b>Vapor Pressure:</b> Not determined	<b>VOC:</b> Not determined

### 9.2 Other Information:

None

## SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity:

Not reactive under normal conditions of use.

### 10.2 Chemical Stability:

Stable.

### 10.3 Possibility of Hazardous Reactions:

None known.

### 10.4 Conditions to Avoid:

None known.

### 10.5 Incompatible Materials:

Avoid strong oxidizers and strong bases.

## SAFETY DATA SHEET

<b>SDS Number:</b>	285, REV G PITNEY BOWES INC.	<b>Effective Date:</b>	February 19, 2009
<b>Product Name:</b>	Non-Fluorescent Blue Ink for K700, K754, & DM60	<b>Revised Date:</b>	September 22, 2015
		<b>Page:</b>	5 of 8

### 10.6 Hazardous Decomposition Products:

Carbon dioxide, and carbon monoxide.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on Toxicological Effects:

**Eyes:** May cause mild irritation with redness and tearing.

**Skin:** No adverse effects expected under normal use.

**Ingestion:** Swallowing large amounts may cause gastrointestinal irritation with nausea, vomiting and diarrhea

**Inhalation:** No adverse effects expected during normal use. Prolonged intentional inhalation may result in respiratory tract irritation.

### Acute Toxicity Values:

Product	LD50: >2,000 mg/kg		Oral
Glycerol	LD50: 6,500 mg/kg	Rat	Oral
	LC50: > 570 mg/m <sup>3</sup> / 1 hr	Rat	Inhalation
Triethylene glycol mono-n-butyl ether	LD50: 5,300 mg/kg	Rat	Oral
	LD50: 3,540 mg/kg	Rabbit	Dermal

**Irritation:** This product may cause mild eye irritation

**Corrosivity:** Not classified as a corrosive product.

**Sensitization:** This product is not expected to cause sensitization. None of the components are respiratory or skin sensitizers.

### Specific Target Organ Toxicity:

Single Exposure: No data available.

Repeat Exposure: Prolonged intentional inhalation may result in respiratory tract irritation.

**Carcinogen Status:** None of the components of this product are classified as carcinogens by IARC, OSHA, NTP, ACGIH, or the EU CLP.

**Germ Cell Mutagenicity:** This product has been found to be negative in the AMES test for mutagenicity.

**Toxicity for Reproduction:** This product is not classified as a reproductive hazard.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 Toxicity:

No data available for product.

Glycerol: LC50 Daphnia magna (Water flea) >10000 mg/L/ 24 hr;

LC50 Goldfish >5000 mg/L/ 24 hr

Triethylene glycol mono-n-butyl ether: LC50 Pimephales promelas (Fathead minnow)

## SAFETY DATA SHEET

<b>SDS Number:</b>	285, REV G PITNEY BOWES INC.	<b>Effective Date:</b>	February 19, 2009
<b>Product Name:</b>	Non-Fluorescent Blue Ink for K700, K754, & DM60	<b>Revised Date:</b>	September 22, 2015
		<b>Page:</b>	6 of 8

2400 mg/L/96 hr  
LC50 Daphnia magna (Water flea) 2210 mg/L/48 hr

### 12.2 Persistence and Degradability:

No data available for product.

Glycerol: Biodegradation rate constants of 0.258/day and 0.200/day in respirometric test systems employing activated sludge have been reported, corresponding to 68% and 78% degradation, respectively.

Triethylene glycol mono-n-butyl ether: The theoretical BODs for triethylene glycol monobutyl ether are 0, 5, and 24% for 5 days, 10 days, and 20 days, respectively, indicating that it will be partially removed from biological wastewater treatment plants.

### 12.3 Bioaccumulative Potential:

No data available for product.

Glycerol: An estimated BCF of 3 was calculated in fish for glycerin, using a log Kow of -1.76 and a regression-derived equation. According to a classification scheme, this BCF suggests the potential for bioconcentration in aquatic organisms is low.

Triethylene glycol mono-n-butyl ether: An estimated BCF of 3 was calculated in fish for triethylene glycol monobutyl ether (SRC), using an estimated log Kow of 0.02 and a regression-derived equation. According to a classification scheme (, this BCF suggests the potential for bioconcentration in aquatic organisms is low.

### 12.4 Mobility in Soil:

No data available for product.

Glycerol: is expected to have very high mobility in soil

Triethylene glycol mono-n-butyl ether: According to a classification scheme, this estimated Koc value suggests that triethylene glycol monobutyl ether is expected to have very high mobility in soil.

### 12.5 Results of PBT and vPvB Assessment:

Not required.

### 12.6 Other Adverse Effects:

None.

## SECTION 13: DISPOSAL INFORMATION

### 13.1 Waste Treatment Methods

Dispose in accordance with local, state or provincial and federal or national regulations.

## SECTION 14: TRANSPORT INFORMATION

	14.1 UN Number	14.2 UN Proper Shipping Name	14.3 Transport Hazard Class(s)	14.4 Packing Group	14.5 Environmental Hazards
US DOT	None	Not regulated for transport	None	None	No

## SAFETY DATA SHEET

<b>SDS Number:</b>	285, REV G PITNEY BOWES INC.	<b>Effective Date:</b>	February 19, 2009
<b>Product Name:</b>	Non-Fluorescent Blue Ink for K700, K754, & DM60	<b>Revised Date:</b>	September 22, 2015
		<b>Page:</b>	7 of 8

<b>EU ADR/RID</b>	None	Not regulated for transport	None	None	No
<b>IATA:</b>	None	Not regulated for transport	None	None	No
<b>IMDG</b>	None	Not regulated for transport	None	None	No

**14.6 Special Precautions for User:**

None

**14.7 Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code:**

Not applicable

<b>SECTION 15: REGULATORY INFORMATION</b>
---

**15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture:**

**International Inventories:**

**US EPA TSCA Inventory:** All of the components are listed or exempt on the EPA TSCA inventory.

**EU Inventory:** All of the components in this product are listed on or exempt from the EINECS inventory.

**Australian Regulations:** All of the components are listed on the Australian AICS inventory.

**Japanese Regulations:** All of the components are listed on the Japanese MITI inventory.

**U.S. REGULATIONS**

**CERCLA:** Spills of this product are not required to be reported to the National Response Center. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

**EPA SARA 302:** This product does not contain chemicals regulated under SARA Section 302.

**EPA SARA 311 Hazard Classification:** None

**EPA SARA 313:** This product contains the following chemicals that are regulated under SARA Title III, section 313: Triethylene Glycol n-butyl ether: CAS# 143-22-6 (Glycol Ethers)

**California Proposition 65:** This product contains the following chemicals which are known to the State of California to cause cancer, reproductive toxicity or birth defects: None.

**INTERNATIONAL REGULATIONS**

**German WGK:** Not determined.

**15.2 Chemical Safety Assessment:**

Not required

## SAFETY DATA SHEET

<b>SDS Number:</b>	285, REV G PITNEY BOWES INC.	<b>Effective Date:</b>	February 19, 2009
<b>Product Name:</b>	Non-Fluorescent Blue Ink for K700, K754, & DM60	<b>Revised Date:</b>	September 22, 2015
		<b>Page:</b>	8 of 8

### SECTION 16: OTHER INFORMATION

**NFPA Codes:**            **Health: 0**                    **Fire: 0**                    **Instability: 0**  
**HIMS Codes:**            **Health: 0**                    **Fire: 0**                    **Physical Hazard: 0**

**GHS Phrases for Reference (See Section 2 and 3):**

Acute Aquatic Tox 1 – Acute Aquatic Toxicity Category 1  
Acute Tox. 4 - Acute Toxicity Category 4  
Eye Dam. 1 – Eye Damage Category 1  
Skin Irrit. 2 – Skin Irritation Category 2  
Skin Sens. 1 – Skin Sensitizer Category 1  
H302 Harmful if swallowed  
H315 Causes skin irritation  
H317 May cause an allergic skin reaction  
H318 Causes serious eye damage  
H400 Very toxic to aquatic life

**SDS Prepared By:**                    Chemical Review Board  
**Date Revised:**                        September 22, 2015

**Revision Summary:**                Update and change Section 15. Remove EU & WHMIS Statements.  
Emergency phone number updated in November 2020

**Previous Revision:**                December 30, 2014