



## SAFETY DATA SHEET

<b>SDS Number:</b>	365, REV B PITNEY BOWES, INC.	<b>Effective Date:</b>	December 23, 2014
		<b>Revised Date:</b>	February 22, 2016
<b>Product Name:</b>	Pitney Bowes Toner Cartridges	<b>Page:</b>	1 of 7

<b>SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING</b>
---

**1.1 Product Identifier**

**Trade Name:** Pitney Bowes Toner Cartridge  
**Reorder Number:** PB X264LY, PB X264P, PB X644HY, PB X644XHJ

**1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against**

**Product Use:** Copier Toner Cartridge

**1.3 Details of the Supplier of the Safety Data Sheet**

**Manufacturer:** **UK Facility:**  
 Building 5 Trident Place  
 Hatfield Business Park  
 Mosquito Way  
 Hatfield  
 Hertfordshire, AL10 9UJ  
**Information Phone Number:** United Kingdom  
 +44(0) 8705 252 525  
**E-mail:** [ehs@pb.com](mailto:ehs@pb.com)  
**SDS website:** [www.PB.com/SDS](http://www.PB.com/SDS)

**1.4 Emergency Telephone Number**

**Emergency Spill Information**      *International*      00-1-203-922 5340

**SDS Date of Preparation:** February 22, 2016

<b>SECTION 2: HAZARDS IDENTIFICATION</b>
--

**2.1 Classification of the Substance or Mixture**

**CLP/GHS Classification (1272/2008):**

<b>Physical:</b>	<b>Health:</b>	<b>Environmental</b>
Non-Hazardous	Non-Hazardous	Chronic Aquatic Toxicity Category 3

**2.2 Label Elements:**

Hazard Phrases:

H412	Harmful to aquatic life with long lasting effects.
------	--

## SAFETY DATA SHEET

<b>SDS Number:</b>	365, REV B PITNEY BOWES, INC.	<b>Effective Date:</b>	December 23, 2014
<b>Product Name:</b>	Pitney Bowes Toner Cartridges	<b>Revised Date:</b>	February 22, 2016
		<b>Page:</b>	2 of 7

### Precautionary Phrases

P273	Avoid release to the environment.
P501	Dispose of container and contents to approved disposal site in accordance with all local and national regulations.

### 2.3 Other Hazards: None

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures:

Chemical Name	CAS#	EINECS#	GHS Classification Regulation (EC) No 1272/2008	%
Toner Powder	Mixture	Mixture	Not Applicable	72 - >88
Iron Oxide	1317-61-9	215-277-5	Not Applicable	10 - 15
Carbon Black	1333-86-4	215-609-9	Not Applicable	1 - 10
Zinc Metal Complex Dye	42405-40-3	403-360-0	Flam. Solid 1 (H228) Acute Oral Tox. 4 (H302) Aquatic Acute. 1 (H400) Aquatic Chron. 1 (H410)	0 - <2.5

See Section 16 for further information on GHS Classification.

## SECTION 4: FIRST AID MEASURES

### 4.1 Description of First Aid Measures

**Eyes:** Do not rub eyes. Immediately flush with plenty of running cool to lukewarm water, holding eye lids open to assure thorough rinsing. Get medical attention if irritation persists or for foreign body in the eyes.

**Skin:** Wash with soap and water.

**Inhalation:** Remove to fresh air. Wash nostrils, rinse mouth. If irritation or pulmonary symptoms develop, consult a physician.

**Ingestion:** If swallowed, dilute with water. Do not induce vomiting unless directed to do so by a doctor or physician. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Get medical attention if symptoms occur.

**Notes to Physicians:** Treat symptomatically.

**4.2 Most Important symptoms and effects, both acute and delayed:** Inhalation of dust may cause minor respiratory irritation. Prolonged inhalation overexposure may result in lung damage.

### 4.3 Indication of any immediate medical attention and special treatment needed:

Immediate medical treatment should not be required.

## SAFETY DATA SHEET

<b>SDS Number:</b>	365, REV B PITNEY BOWES, INC.	<b>Effective Date:</b>	December 23, 2014
<b>Product Name:</b>	Pitney Bowes Toner Cartridges	<b>Revised Date:</b>	February 22, 2016
		<b>Page:</b>	3 of 7

### SECTION 5: FIRE FIGHTING MEASURES

**5.1 Extinguishing Media:**

Use water spray, dry chemical or foam to extinguish fire.

**5.2 Special Hazards Arising from the Substance or Mixture**

**Unusual Fire and Explosion Hazards:** Toner powder can form explosive mixtures with air at high concentrations.

**Hazardous Decomposition Products:** May produce carbon, nitrogen and zinc oxides under fire conditions.

**5.3 Advice for Fire-Fighters:**

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Do not use methods that may create a dust cloud, such as high pressure water.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

**6.1 Personal Precautions, Protective Equipment and Emergency Procedures:**

Avoid inhalation of dust. Carefully sweep up material, or vacuum taking care not to generate airborne dust. Do not use vacuum if large amounts are released due to risk of dust explosion. Wipe up residual with a damp cloth.

**6.2 Environmental Precautions:**

It is recommended to keep away from drains, surface and ground water.

**6.3 Methods and Material for Containment and Cleaning Up:**

Large Spill: Not sold in large quantities.

Small Spill: Sweep up, or vacuum small amounts of material.

**6.4 Reference to Other Sections:**

Refer to Section 8 for protective equipment and Section 13 for disposal considerations.

### SECTION 7: HANDLING AND STORAGE

**7.1 Precautions for Safe Handling:**

Avoid inhalation of toner dust. Avoid direct contact with toner. Follow product label instructions.

**7.2 Conditions for Safe Storage, Including any Incompatibilities:**

Store in a cool, dry place. Keep out of the reach of children.

**7.3 Specific end use(s):**

Copier Toner Cartridge

## SAFETY DATA SHEET

<b>SDS Number:</b>	365, REV B PITNEY BOWES, INC.	<b>Effective Date:</b>	December 23, 2014
<b>Product Name:</b>	Pitney Bowes Toner Cartridges	<b>Revised Date:</b>	February 22, 2016
		<b>Page:</b>	4 of 7

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control Parameters:

Chemical Name	Exposure Limits
Toner powder (Regulated as respirable dust)	5 mg/m <sup>3</sup> (respirable fraction) TWA – France OEL 1.5 mg/m <sup>3</sup> (respirable fraction) TWA – Germany MAK 3 mg/m <sup>3</sup> (respirable fraction) TWA – Spain OEL 4 mg/m <sup>3</sup> (respirable fraction) TWA – UK WEL
Iron Oxide	5 mg/m <sup>3</sup> TWA UK WEL (respirable); 10 mg/m <sup>3</sup> TWA UK WEL (inhalable)
Carbon Black	3.5 mg/m <sup>3</sup> TWA, 7 mg/m <sup>3</sup> STEL- UK WEL 3.5 mg/m <sup>3</sup> TWA – Spain OEL 3.0 mg/m <sup>3</sup> TWA – Australia OEL
Zinc Metal Complex Dye	None Established

#### 8.2 Exposure Controls:

**Engineering Controls:** None required with normal use.

**Respiratory Protection:** Not required under normal use conditions.

**Skin Protection:** Not required under normal use conditions.

**Eye Protection:** Not required under normal use conditions.

**Other:** Not required for normal use conditions.

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic Physical and Chemical Properties:

<b>Appearance:</b> Black	<b>Vapor Density:</b> Not applicable
<b>Odor:</b> Slight or no odor.	<b>Specific Gravity:</b> Not determined
<b>Odor Threshold:</b> Not determined	<b>Water Solubility:</b> Negligible
<b>pH:</b> Not applicable	<b>Octanol/Water Partition Coefficient:</b> Not available
<b>Melting Point/Freezing Point:</b> Not determined	<b>Autoignition Temperature:</b> Not applicable
<b>Boiling Point and Range:</b> Not applicable	<b>Decomposition Temperature:</b> Not determined
<b>Flash Point:</b> None	<b>Viscosity:</b> Not applicable
<b>Evaporation Rate:</b> Not applicable	<b>Explosion Properties:</b> Toner powder can form explosive mixtures with air at high concentrations.
<b>Flammable Limits:</b> LEL: Not determined UEL: Not determined	<b>Flammability (Solid, Gas):</b> Non-Flammable solid. Based on testing.
<b>Oxidizing Properties:</b> Not determined	<b>Vapor Pressure:</b> Not applicable
<b>VOC:</b> Not available	

#### 9.2 Other Information:

None

## SAFETY DATA SHEET

<b>SDS Number:</b>	365, REV B PITNEY BOWES, INC.	<b>Effective Date:</b>	December 23, 2014
<b>Product Name:</b>	Pitney Bowes Toner Cartridges	<b>Revised Date:</b>	February 22, 2016
		<b>Page:</b>	5 of 7

### SECTION 10: STABILITY AND REACTIVITY

**10.1 Reactivity:**

Not reactive under normal conditions of use.

**10.2 Chemical Stability:**

Stable.

**10.3 Possibility of Hazardous Reactions:**

None known

**10.4 Conditions to Avoid:**

Avoid excessive heat.

**10.5 Incompatible Materials:**

Avoid contact with strong oxidizing agents.

**10.6 Hazardous Decomposition Products:**

Thermal decomposition may produce carbon, zinc and nitrogen oxides.

### SECTION 11: TOXICOLOGICAL INFORMATION

**11.1 Information on Toxicological Effects:**

**Eyes:** May cause minimal irritation.

**Skin:** No adverse effects expected.

**Ingestion:** No adverse effects expected. This product is not acutely toxic by ingestion.

**Inhalation:** Could be a route of exposure, but unlikely under normal use. Inhalation of toner powder may cause mucous membrane and respiratory irritation. Prolonged and repeated overexposure may cause lung damage.

**Acute Toxicity Values:**

Carbon Black:	LD50 Oral Rat > 15,400 mg/kg
	LD50 Skin Rabbit > 3,000mg/kg
Iron Oxide:	LD50 Oral Rat > 10,000 mg/kg
Zinc Metal Complex Dye:	LD50 Oral Rat 1,800 mg/kg

**Irritation:** May cause mild eye irritation.

**Corrosivity:** This is not a corrosive product.

**Sensitization:** This product is not expected to cause sensitization. None of the components are respiratory or skin sensitizers.

**Specific Target Organ Toxicity:**

Single Exposure: None known.

Repeat Exposure: In a study in rats of chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the high concentration (16 mg/m<sup>3</sup>) exposure group. A minimal to mild degree of lung fibrosis was observed in 22% of the rats in

## SAFETY DATA SHEET

<b>SDS Number:</b>	365, REV B PITNEY BOWES, INC.	<b>Effective Date:</b>	December 23, 2014
<b>Product Name:</b>	Pitney Bowes Toner Cartridges	<b>Revised Date:</b>	February 22, 2016
		<b>Page:</b>	6 of 7

the middle (4 mg/m<sup>3</sup>) exposure group. No pulmonary change was reported in the lowest (1 mg/m<sup>3</sup>) exposure group, the most relevant level to potential human exposures.

**Carcinogen Status:** In 1996 IARC re-evaluated carbon black as a group 2B carcinogen (possible human carcinogen). None of the other components of this product at greater than 0.1% are classified as carcinogens by IARC, OSHA, NTP, ACGIH, or the EU CLP.

**Germ Cell Mutagenicity:** This product is not expected to be a mutagen.

**Toxicity for Reproduction:** This product is not a reproductive hazard.

### SECTION 12: ECOLOGICAL INFORMATION

**12.1 Toxicity:**

Zinc Metal Complex Dye: EC50: Daphnia Magna: 0.73 mg/L/48 hr.  
EC50: Desmodesmus subspicatus: 0.64 mg/L/72 hr.

**12.2 Persistence and Degradability:**

Zinc Metal Complex Dye: Not readily biodegradable

**12.3 Bioaccumulative Potential:**

No data available for product.

**12.4 Mobility in Soil:**

No data available for product.

**12.5 Results of PBT and vPvB Assessment:**

Not required.

**12.6 Other Adverse Effects:**

None.

### SECTION 13: DISPOSAL INFORMATION

**13.1 Waste Treatment Methods**

Dispose in accordance with local, state or provincial and federal or national regulations.

### SECTION 14: TRANSPORT INFORMATION

	14.1 UN Number	14.2 UN Proper Shipping Name	14.3 Transport Hazard Class(s)	14.4 Packing Group	14.5 Environmental Hazards
<b>EU ADR/RID</b>	None	Not regulated for transport	None	None	No
<b>IATA:</b>	None	Not regulated for transport	None	None	No

## SAFETY DATA SHEET

<b>SDS Number:</b>	365, REV B PITNEY BOWES, INC.	<b>Effective Date:</b>	December 23, 2014
<b>Product Name:</b>	Pitney Bowes Toner Cartridges	<b>Revised Date:</b>	February 22, 2016
		<b>Page:</b>	7 of 7

<b>IMDG</b>	None	Not regulated for transport	None	None	No
-------------	------	-----------------------------	------	------	----

**14.6 Special Precautions for User:**

None

**14.7 Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code:**

Not applicable

### SECTION 15: REGULATORY INFORMATION

**15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture:**

**INTERNATIONAL REGULATIONS**

**German WGK:** Not determined.

**15.2 Chemical Safety Assessment:**

Not required

### SECTION 16: OTHER INFORMATION

**GHS Phrases for Reference (See Section 2 and 3):**

H228 Flammable solid.

H302 Harmful if swallowed.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Acute Oral Tox. 4 - Acute Oral Toxicity Category 4

Aquatic Acute. 1 - Aquatic Acute Toxicity Category 1

Aquatic Chron. 1 - Aquatic Chronic Toxicity Category 1

Flam. Solid 1 – Flammable Solid Category 1

**SDS Prepared By:** Chemical Review Board

**Date Revised:** February 22, 2016

**Revision Summary:** Update and change Section 15. Remove EU Statements.

Emergency spill information number updated in November 2020

**Previous Revision:** December 23, 2014