



Location Intelligence
Infrastructure Asset Management

Confirm[®]

Confirm Alerts and Notifications
Version v18.20a.AM



Information in this document is subject to change without notice and does not represent a commitment on the part of the vendor or its representatives. No part of this document may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, without the written permission of Pitney Bowes Inc., One Global View, Troy, New York 12180-8399.

© 2018 Pitney Bowes. All rights reserved. MapInfo, the MapInfo logo and Confirm are trademarks of Pitney Bowes and/or its affiliates.

Corporate Headquarters:

Phone: 518 285 6000

Fax: 518 285 6070

Sales: 800 327 8627

Government Sales: 800 619 2333

Technical Support: 518 285 7283

<http://www.pitneybowes.com/us>

UK and EMEA Headquarters:

Phone: 1 800 840 0001

Technical Support (UK): 1 800 840 0001

Technical Support (International): 44 1634 880141

<http://www.pitneybowes.com/uk>

Asia Pacific Headquarters:

Phone: 61 2 9437 6255

Fax: 61 2 9439 1773

Technical Support: 1 800 648 899

www.pitneybowes.com.au/software

Contact information for all Pitney Bowes offices is located at: <http://www.pitneybowes.com/uk/contact-us>.

Products named herein may be trademarks of their respective manufacturers and are hereby recognized. Trademarked names are used editorially, to the benefit of the trademark owner, with no intent to infringe on the trademark.

Open Source Attribution Notice

The Confirm suite of products contain the following open source software:

- Feature Data Objects v 3.5.0, which is licensed under GNU Lesser General Public License, Version 2.1, February 1999 with the unRAR restriction. The license can be downloaded from: <http://fdo.osgeo.org/licenceAndGovernance.html>. The source code for this software is available from <http://fdo.osgeo.org/content/fdo-350-downloads>
- MrSID software (specifically the mrsid32.dll) is used under license and is Copyright © 1995-2002, LizardTech, Inc., 1008 Western Ave., Suite 200, Seattle, WA 98104. All rights reserved. MrSID is protected by U.S. Patent No. 5,710,835. Foreign patents are pending. Unauthorized use or duplication prohibited.

Patented technology in the Software was developed in part through a project at the Los Alamos National Laboratory, funded by the U.S. Government and managed by the University of California. The U.S. Government has reserved rights in the technology, including a non-exclusive, nontransferable, irrevocable, paid-up license to practice or have practiced throughout the world, for or on behalf of the United States, inventions covered by the patent, and has other rights under 35 U.S.C. § 200-212 and applicable implementing regulations.

For further information, contact Lizardtech.

- NodaTime, version number 1.3.10, which is licensed under the Apache license, version number 2.0. The license can be downloaded from <http://www.apache.org/licenses/LICENSE-2.0> . The source code for this software is available from <http://nodatime.org/>.
- Chromium Embedded Framework, version 3, which is licensed under the New BSD License. The license can be downloaded from <http://opensource.org/licenses/BSD-3-Clause>. The source code for this software is available from <http://code.google.com/p/chromiumembedded/downloads/list>.
- Xilium.CefGlue, version 3, which is licensed under the MIT License (with portions licensed under the New BSD License). The licenses can be downloaded from <http://opensource.org/licenses/MIT> and <http://opensource.org/licenses/BSD-3-Clause>. The source code for this software is available from <http://xilium.bitbucket.org/cefglue/>.
- D3 Data Driven Documentation, version 3.4.1, which is licensed under the New BSD License. The license can be downloaded from <https://github.com/mbostock/d3/blob/master/LICENSE>. The source code for this software is available from <http://d3js.org/>.
- OpenLayers, version 2.12, which is licensed under the Modified BSD License. The license can be downloaded from <http://svn.openlayers.org/trunk/openlayers/license.txt>. The source code for this software is available from <http://trac.osgeo.org/openlayers/browser>.
- OpenLayers, version 3, which is licensed under the BSD 2-Clause Licence. The license which can be downloaded from <https://github.com/openlayers/ol3/blob/master/LICENSE.md>. The source code for this software is available from <https://github.com/openlayers/ol3>.
- Proj4js, version 1+, which is licensed under the Apache License, Version 2, January 2004. The license can be downloaded from <http://www.apache.org/licenses/LICENSE-2.0.html>. The source code for this software is available from <http://trac.osgeo.org/proj4js/>.
- requireJS, version 2.1.2, which is licensed under the MIT License or the New BSD License. The license can be downloaded from <https://github.com/jrburke/requirejs/blob/master/LICENSE>. The source code for this software is available from <http://requirejs.org/>.
- Apache Cordova, version 4.2.0, which is licensed under the Apache License, Version 2, January 2004. The license can be downloaded from <http://www.apache.org/licenses/LICENSE-2.0.html>. The source code for this software is available from <http://phonegap.com/download/>.

July 26, 2018

Table of Contents

Alerts and Notifications

Internal Messages Screen	6
Internal Messages Button	7
Internal Messages Cleardown	7
Alert Types	9
Enquiry Alert Type	9
Job Alert Type	12
Offence and Fixed Penalty Notice Alert Type	15
Street Works Alert Type	16
Alerts Data Sources	21

Alerts and Notifications

There are several Alerts modules available in Confirm. They all are used to Alert a user to a particular event which has happened or is about to happen in Confirm. Alerts can be delivered to an email address, a Confirm Inbox or both.

In this section

Internal Messages Screen	6
Alert Types	9
Alerts Data Sources	21

Internal Messages Screen

The Internal Messages screen shows all the Messages received by the current User within Confirm. Messages will be stored in the database and retrievable on this screen if the User has their Message Preference option appropriately set on the User Security screen.

Messages viewable on the Internal Messages screen may originate from any of the following:

- Enquiry Alerts
- Job Alerts
- Offence Alerts
- Street Works Alerts

The messages are shown in order of being received, with the most recent first. Unread messages are shown in bold.

Subject	Relates To	Received Date	Read Date	Deleted Date
An Emergency Job has been Created - Job 10000080	Job 10000080	4/30/2015 7:18 PM		
An Emergency Job has been Created - Job 10000081	Job 10000081	4/30/2015 7:18 PM		
Job approaching follow-up date - Job 10000080	Job 10000080	4/30/2015 7:18 PM		
Job approaching follow-up date - Job 10000081	Job 10000081	4/30/2015 7:18 PM		
Status Changed - Enquiry 78	Enquiry 78	4/30/2015 4:51 PM		
Status Changed - Enquiry 79	Enquiry 79	4/30/2015 4:51 PM		
On Creation - Enquiry 73	Enquiry 73	4/30/2015 4:51 PM		
On Creation - Enquiry 75	Enquiry 75	4/30/2015 4:51 PM		
On Creation - Enquiry 74	Enquiry 74	4/30/2015 4:51 PM		
On Creation - Enquiry 76	Enquiry 76	4/30/2015 4:51 PM		
On Creation - Enquiry 77	Enquiry 77	4/30/2015 4:51 PM		
On Creation - Enquiry 78	Enquiry 78	4/30/2015 4:51 PM		
On Creation - Enquiry 79	Enquiry 79	4/30/2015 4:51 PM		

The checkboxes at the top of the screen are used to configure the combination of messages to be displayed:

Checkboxes	Description
Show Unread	Unread messages are displayed. This option is on by default.
Show Read	Read messages are displayed. This option is on by default.
Show Deleted	Deleted messages are displayed. This option is off by default.

The buttons on the screen perform actions as described below.:

Buttons	Description
Detail	Click to view the detail of the currently selected Message (alternatively, double click any Message in the view). Once viewed, the Message will be marked as Read.
Refresh	Messages received while the Internal Messages screen is open will not be added to the screen. Click the Refresh button to retrieve any new Messages from the database.

Buttons	Description
Delete	Click to mark a Message as deleted. The Message will immediately disappear from the view unless 'Show Deleted' is checked. Note: messages are not deleted from the database.

The Confirm toolbar holds an icon that shows the state of the Internal Messages. More information on the icon can be found in [Internal Messages Button](#) on page 7

The '**Relates To**' column shows the Confirm record from which the Internal Message originated, e.g. 'Enquiry 409' or 'Job 2000345'. Clicking this field, either on the Internal Messages screen or on the detail of an Internal Message, will open the relevant screen and show the record in question. This is subject to the User having access to the screen and to the particular record.

Internal Messages Button

The Internal Messages button on the Confirm toolbar launches the Internal Messages screen for the current User, or refreshes the screen if it is already open.

This icon is only visible if:

1. At least one of the Confirm Alerts modules is enabled.
2. The Users 'Message Preference' is set to send messages to the Confirm Internal Messages screen.

When the User logs in to Confirm, the system will check for Internal Messages for that User, and show one of the following icons on the toolbar:

Button State	Description
	There are some unread messages, and at least one has arrived since the User last read a new message, or deleted a message without reading it.
	There are some unread messages.
	There are no unread messages.

Clicking the button will open the Internal Messages screen showing the User's messages. Refreshing the screen, reading any message, or deleting any message, will update the toolbar to show one of the three icons above. The icon is also refreshed regularly by a timer. The timer defaults to every 5 minutes, but can be altered for a particular User on the 'General User Settings' screen. If the Internal Messages screen is open when this time is reached, it will be refreshed to show any new messages that have arrived and the toolbar will be updated to show one of the three icons above. If the Internal Messages screen is not open, the toolbar will still be updated. See **System Administration\General User Settings** for further information.

Internal Messages Cleardown

This batch utility is used to permanently delete old messages of specified users from the database so they do not show on the Internal Messages screen. This utility is useful to administer Internal Message boxes that grow too large.

Received Date From	<input type="text" value="00-00-00 00:00:00 AM"/>	To	<input type="text" value="00-00-00 00:00:00 AM"/>	<input type="button" value="OK"/> <input type="button" value="Cancel"/> <input type="button" value="Clear"/> <input type="checkbox"/> Preview
Deleted Date From	<input type="text" value="00-00-00 00:00:00 AM"/>	To	<input type="text" value="00-00-00 00:00:00 AM"/>	
Subject Contains	<input type="text"/>			
User	<input type="text" value="MWILLIAMS"/>	<input type="text" value="Michael Williams"/>	<input type="button" value="..."/>	
Type	<input type="text" value="All"/>			

The fields specify filter criteria to select messages that will be subject to deletion.

Field	Description
Received Date From/To:	Date/Time fields that will, if set, cause the permanent deletion of messages received between the two dates.
Deleted Date From/To:	Date/Time fields that will, if set, cause the permanent deletion of messages marked as deleted between the two dates.
Subject Contains:	A text field that will, if set, further filter the selection of messages for permanent deletion to those containing the specified text in their subjects.
User:	Filter the selection to only messages for the specified user.
Type:	Filter the selection to only messages of the specified type.

The Clear button resets all the fields to the default blank state.

Click OK to run the cleardown. If the Preview checkbox is ticked then the candidates for deletion are presented for review before the permanent deletion happens.

06/08/2009 Internal Messages Cleardown - Preview Page 1 of 1				
Type: All				
Message Subject	Type	Received Date	Read Date	Deleted Date
User : System Supervisor				
on creation job - Job 2165	Job	08/07/2009 13:32:02		06/08/2009 16:55:27
on creation job - Job 2164	Job	08/07/2009 13:28:01		06/08/2009 16:55:29
on creation job - Job 2163	Job	08/07/2009 13:24:00	08/07/2009 13:30:01	08/07/2009 13:26:49
on creation job - Job 2162	Job	08/07/2009 13:23:00	08/07/2009 13:32:29	08/07/2009 13:31:10

Report generated by : System Supervisor 16:57:21

Click the Save button on the preview screen to permanently delete the messages.

Alert Types

Enquiry Alert Type

(CS – Alerts and Notifications module)

The Enquiry Alerts system will send an Alert to the selected people, notifying them of the selected event, and giving the message outlined in the Lookup when specified criteria are met.

The screenshot shows a configuration window for an Enquiry Alert. The fields are as follows:

- Alert Message:** Urgent Enquiry Logged - Fallen Tree
- Alert Entity:** Enquiry Alert
- Alert Event:** On Creation
- When:** [Empty] After
- Service:** Trees
- Subject:** Fallen Tree TRFA
- Status:** [Empty]
- Commitment:** [Empty]
- Notify:** Action Officer
- User Name:** [Empty]
- Message Text:** Enquiry Number:{Enquiry Number}
Logged By:{Logged By User's Forename}
Subject:{Subject}
Description:{Description}
Location:{Location}

The dropdown menu for Message Text is open, showing the following options:

- Enquiry Number
- Enquiry Reference
- Enquiry Classification
- Current Status
- Job Number
- Logged by User's Forename
- Logging User's Surname

Field	Description
Alert Message	The text entered here will make up the subject line of the Alert
Alert Entity	Select from: <ul style="list-style-type: none"> • 'Commitment Alert' – to set up an Alert based on the progress of Commitments • 'Enquiry Alert' – to set up an Alert based on the progress of Enquiries.

Field	Description
Alert Event	The options available depend on the Alert Entity selected. Commitment Alerts: <ul style="list-style-type: none"> • 'On Creation' - when a Commitment is set against an Enquiry and that Enquiry is saved. • 'Follow-up' - a given time before or after the Follow Up /Target date for the Commitment. • 'Resolved' - on the date on which the Commitment is fulfilled. Enquiry Alerts:

Field	Description
	<ul style="list-style-type: none"> • 'Creation' - when an Enquiry is first raised and saved. • 'Follow-up Date' - a given time before or after the Follow Up date is reached for the Enquiry. • 'Officer Reassignment' - when the Enquiry Action Officer is changed. • 'Resolved' - when the Enquiry achieves a Status that is not 'Outstanding'. • 'Status Changed' – when the Status of an Enquiry is changed.
When	<p>Select the period of time from the drop down, and specify 'Before' or 'After' in the following field to determine whether the Alert should be sent the selected time before or after the Follow-up date is reached. The drop down list references the 'Follow-up' lookup.</p>
Service	<p>Select a Service from the drop down list. The drop down list references the Type of Service lookup.</p> <p>Customer Services\Enquiry Lookups</p>
Subject	<p>Select from the pick list. The pick list references all the Subjects listed against the Service entered in the field above.</p> <p>Customer Services\Enquiry Lookups</p>
Commitment	<p>This option is only available for Commitment Alerts.</p> <p>Select from the drop down list to restrict the Alert to the selected Commitment Type. The drop down list references the Commitment Type lookup.</p> <p>Customer Services\Enquiry Lookups</p>
Status	<p>This option is only available on Enquiry Alerts.</p> <p>Select the Status that will trigger the Alert when this Status is entered for an Enquiry with the above Service and Subject. The pick list references the Status lookup.</p> <p>Customer Services\Enquiry Lookups</p> <p>Note: If an Alert is required that triggers on Status change, it is possible to create a Alert for each Status, which triggers on an 'Immediate' Follow Up.</p>
Notify	<p>Select who should be notified from the drop down list:</p> <ul style="list-style-type: none"> • 'Action Officer' - the Action Officer entered in the Action Officer field of the Enquiry when the Alert falls due. The Action Officer must be linked to a User record for the Alert to be sent. The Alert will be sent according to the User's Message Preference (None, Email, Internal or Both). • 'Originator' - the User who is entered in the 'Logged By' field of the Enquiry, that is, the User who first logged the Enquiry. The Alert will be sent according to that User's Message Preference (None, Email, Internal or Both). • 'Responsible Officer' - the Action Officer entered in the 'Responsible Officer' field of the Subject selected for the Enquiry. The Action Officer must be linked to a User record for the Alert to be sent. The Alert will be sent according to that User's Message Preference (None, Email, Internal or Both). • 'User' - the user selected in the 'User Name' field below. The Alert will be sent according to that User's Message Preference (None, Email, Internal or Both). • 'All Enquiry Customers' - all Customers who are linked to the relevant Enquiries.

Field	Description
	<ul style="list-style-type: none"> • 'Enquiry Contact' - the person entered in the Contact field of the relevant Enquiries. • 'Data Source' - Select this to generate alerts based on a Data Source. The specified Data Source must contain a column named 'Email Address' and have a linked table to the appropriate table (central_enquiry or enquiry_commitment). When an Alert is due to be sent, the Data Source will be retrieved for the Enquiry or Commitment in question and the Alert sent to the address obtained from the 'Email Address' column for each record returned. Note this could result in no Alert being sent if no records are returned, or the Alert being sent to more than one address if several records are returned. <p>See Alerts/Alerts Data Sources for more information.</p>
User Name	<p>This field is only available when 'User' has been selected in the 'Notify' field above. Select a User from the drop down list. The drop down list references the User Security library.</p> <p>Note: Email addresses must be entered for all Users where a User or an Action Officer is to receive an Alert via email. Where Customers are to receive the Alert, their Email address must be entered in the relevant Customer records. Where a Contact is to receive the Alert, an Email address must be entered in the Contact Email field of the relevant Enquiries.</p> <p>System Administration\Security</p>
Message Data Source	<p>A Message Data Source may be specified if the Message Text for the Alert Type needs to include details not available in the standard list of fields on the screen.</p> <p>Selecting a suitable Data Source will result in the list of fields being updated to reflect those in the Data Source.</p> <p>See Alerts/Alerts Data Sources for more information.</p>
Message Qualification	<p>If a Message Data Source has been specified, it is also possible to specify a Message Qualification, either by choosing an existing Saved Qualification or qualifying the Data Source directly in this screen.</p> <p>This is a flexible way of specifying the Enquiries for which a particular Alert Type is applicable.</p> <p>For example qualifying the Message Data Source to restrict the Enquiry Subject to a certain list of Subjects would mean the Alert would only be generated for Enquiries of a Subject in that list.</p> <p>See Alerts/Alerts Data Sources for more information.</p>
Message Text	<p>Enter here the message to be sent in the Alert Email. The text may include any of the merge fields listed to the right of the text entry box. The merge field will enter into the message text the relevant entries for the selected Enquiries and (where the email is being sent to a Customer) Customers.</p> <p>Double click on a merge field name in the list to place it in the text at the current insertion point.</p> <p>(CS – Extended Attribute module)</p> <p>Where Enquiry Attribute Types have been assigned to Subjects, these may be included in the message text. The Attributes are listed as Attribute1, Attribute2,</p>

Field	Description
	<p>... , Attribute10. These correspond to real Service/Subject attributes by mapping the real attribute with the lowest display order number to Attribute1 and then the real attribute with the next lowest display order number to Attribute2 and so on.</p> <p>Attributes can only be used where a Service and Subject is specified for the Alert.</p> <p>Note: If no message text is entered in this field, then a summary of the Enquiry details will be sent as the message.</p> <p>This field supports HTML format. User need to construct an HTML message using any HTML editor and paste it in HTML form in the Message text. Like to enter Confirm in bold and italics, the corresponding HTML form will be “Confirm”</p>

Job Alert Type

(Job Alerts Module)

The Job Alert system will send an Alert to the selected people, notifying them of the selected event, and giving the message outlined in the Lookup.

The screenshot shows a configuration window for a Job Alert. The fields are as follows:

- Alert Message:** An Emergency Job has been Created
- Alert Event:** On Creation
- When:** [Empty] After [Empty]
- Priority:** [Empty]
- Status:** [Empty] [Empty] ...
- Notify:** Action Officer
- User Name:** [Empty] [Empty] ...
- Asset Type:** [Empty]
- Message Text:** A new Emergency Job has been Created: {Job Number}
 - With the following details:
 - Site: {Site}
 - Plot Number: {Plot Number}
 - Location: {Feature Location}
 - FID: {Feature ID}

The Message Text field is expanded to show a list of lookup fields:


- Job Number
- Customer Reference
- Site
- Locality
- Town
- County
- Feature ID

Field	Description
Alert Message	The text entered here will make up the subject line of the email.
Alert Event	<p>Select from the drop-down list the event that will trigger the Alert. Events are actions carried out to the Job. These are:</p> <ul style="list-style-type: none"> • 'Creation' - when an Job is first raised and saved. • 'Follow-up Date' - a given time before or after the Job Status Follow Up date is reached. • 'Officer Reassignment' - when the Job Action Officer is changed. • 'Resolved' - when the Job achieves a Status at which it is not 'Outstanding'. • 'Estimated Completion Date' - To base the Alert on the Estimated End Date of the Job.

Field	Description
<p>When:</p>	<ul style="list-style-type: none"> • 'Status Changed' – when the Status of a Job is changed. <p>Note: Before an Estimated Completion Date Alert is sent the Task processor will check the Actual completion date for the Job and if this is set the Alert will not be sent out.</p> <p>Select the period of time from the drop down, and specify 'Before' or 'After' in the following field to determine whether the Alert should be sent the selected time before or after the Follow-up date is reached.</p> <p>The drop down list references the 'Follow-up' lookup.</p> <p>Asset Maintenance\Maintenance Lookups</p>
<p>Priority:</p>	<p>Select a Priority from the drop down list. The drop down list references the Priority lookup.</p> <p>Asset Maintenance\Maintenance Lookups</p> <p>This field may be left blank to select Jobs of all Priorities.</p>
<p>Status:</p>	<p>Select the Job Status which will trigger the Alert at the period of time 'before' or 'after' the Status Follow up specified in the 'When' field. The pick list reference the Job Status lookup.</p> <p>Asset Maintenance\Maintenance Lookups</p> <p>This field may be left blank to disregard Job Status in the selection of Jobs for the Alert.</p> <p>Note: This field cannot be used for Estimated Completion Date Alerts.</p>
<p>Notify:</p>	<p>Select who should be notified from the drop down list:</p> <ul style="list-style-type: none"> • 'Action Officer' - Select this to email the Action Officer entered in the Action Officer field of the Job when the Alert is triggered. The Action Officer must be linked to a User record for the Alert to be sent. The Alert will be sent according to that User's Message Preference (None, Email, Internal or Both). • 'Contractor' - Select this to email the Contractor specified on the Order which contains the Job. The Contractor record must contain an email address. <p>Contract Preparation\Contractor</p> <ul style="list-style-type: none"> • 'Data Source' - (Reporting module) Select this to generate alerts based on a Data Source. The specified Data Source must contain a column named 'Email Address' and either have a linked table to the 'job' table or contain a column named 'Job Number'. When an Alert is due to be sent, the Data Source will be retrieved for the Job Number in question and the Alert sent to the address obtained from the 'Email Address' column for each record returned. Note this could result in no Alert being sent if no records are returned, or the Alert being sent to more than one address if several records are returned. <p>See Alerts/Alerts Data Sources for more information.</p> <ul style="list-style-type: none"> • 'User' - Select this to alert the specified User in the 'User Name' field. The Alert will be sent according to that User's Message Preference (None, Email, Internal or Both).

Field	Description
User Name / Data Source:	<p>'User Name' - This field is only available when 'User' has been selected in the 'Notify' field. Either type in the required User's User ID or use the pick button to search for it. The pick list references the User Security library.</p> <p>System Administration\Security</p> <p>'Data Source' - This field is only available when 'Data Source' has been selected in the 'Notify' field. Select a Data Source from the pick list.</p> <p>Reporting\Reporting Lookups</p>
Asset Type:	<p>When the 'Data Source' Notify Option is selected, this field will display the database asset that the current User is logged into. Data Source Alert Types will be protected from edit if viewed in a different database asset (e.g. Alert created in Highways but viewed in Grounds).</p> <p>Note: Email addresses must be entered for all Users where a User or an Action Officer is to receive an Alert via email. Where a Contractor is to receive the Alert, their Email address must be entered in the relevant Contractor record.</p>
Message Text:	<p>Enter here the message to be sent in the Alert email. The text may include any of the merge fields listed to the right of the text entry box. The merge field will enter into the message text the relevant entries for the selected Jobs.</p> <p>Double click on a merge field name in the list to place it in the text at the current insertion point.</p> <p>Note: This field supports HTML format. User need to construct an HTML message using any HTML editor and paste it in HTML form in the Message text. Like to enter Confirm in bold and italics, the corresponding HTML form will be "<code>Confirm</code>"</p>


Button	Description
Copy:	This will create a new Alert Type that is a duplicate of the currently selected one.
Refresh:	<p>This button is available when the Alert Event is 'Estimated Completion Date'.</p> <p>When clicked, it will cause all of the Alerts for the current Alert Type to be deleted and then regenerated to ensure the pending Alerts are valid. To refresh the Alerts the Alert Type must first be saved.</p> <p>This facility will prompt the user if they wish to generate retrospective Alerts (i.e. Alerts that would be immediately overdue).</p> <p>Click 'Yes' to create all Alerts, 'No' to create only those that will be effective in the future and 'Cancel' will cancel the entire refresh operation.</p>

Button	Description
	

Offence and Fixed Penalty Notice Alert Type

(FPN Alerts - Module 2710)

The Offence and FPN Alerts system will send an Alert to the selected person, notifying them of the selected event, and giving the message outlined in the Lookup when specified criteria are met.



Field	Description
Alert Message	Specify what the Subject for the Alert shall be. The type of alert and record number will be appended to the end of this field i.e. 'Alert message - Offence/Penalty - number'.
Alert Event	Specify when the alert should be triggered. Select from: <ul style="list-style-type: none"> • 'Offence Created' - The alert will be triggered when the Offence record has been saved. • 'Penalty Created' - The alert will be triggered when an FPN has been created from an Offence. • 'Offence Date', 'Penalty Issue Date', 'Due Date', 'Discount Date' - The alert will be triggered based on the date specified.

Field	Description
When:	<p>This field is available if a 'Date' Alert Event has been selected. Select the period of time from the drop down, and specify 'Before' or 'After' in the following field to determine whether the Alert should be sent at the selected time before or after the trigger date is reached.</p> <p>The drop down list references the 'Follow-up' lookup.</p> <p>Asset Maintenance\Maintenance Lookups</p>
Status:	Optionally select the Offence/FPN Status which will trigger the Alert.
Notify:	<p>Select who should be notified from the drop down list:</p> <ul style="list-style-type: none"> • 'User' - Select this to alert the specified User in the 'User Name' field. The Alert will be sent according to that User's Message Preference (None, Email, Internal or Both). • 'Issuing Officer' – Select this to notify the Action Officer specified on the Offence screen if a Fixed Penalty Notice has been issued for the Offence. The Action Officer must be linked to a User record for the Alert to be sent. The Alert will be sent according to that User's Message Preference (None, Email, Internal or Both). • 'Representations Officer' – Select this to notify the Action Officer specified on the Offence Type screen. The Action Officer must be linked to a User record for the Alert to be sent. The Alert will be sent according to that User's Message Preference (None, Email, Internal or Both).
User Name	<p>This field is only available when 'User' has been selected in the 'Notify' field. Either type in the required User's User ID or use the pick button to search for it. The pick list references the User Security library.</p> <p>System Administration\Security</p>
Message Text:	<p>Enter here the message to be sent in the Alert email. The text may include any of the merge fields listed to the right of the text entry box. The merge field will enter into the message text the relevant entries for the selected Jobs.</p> <p>Double click on a merge field name in the list to place it in the text at the current insertion point.</p> <p>Note: This field supports HTML format. User need to construct an HTML message using any HTML editor and paste it in HTML form in the Message text. Like to enter Confirm in bold and italics, the corresponding HTML form will be "<code>Confirm</code>"</p>

Button	Description
Copy:	This will create a new Alert Type that is a duplicate of the currently selected one.

Street Works Alert Type

(EToN Alert Agent module)

The Street Works Alert system will send an Alert to the selected people, notifying them of the selected event, and giving the message outlined in the lookup as well as the details of the Notice, Inspection or Comment to which the Alert relates.

The screenshot shows a configuration window for an alert. The fields are as follows:

- Alert Message:
- Alert Entity:
- Alert Event:
- When:
- Work Type:
- Notice Type:
- Works Status:
- Direction:
- Route:
- EToN Version:
- Notify:
- User Name:
- Message Text:
- Attach HTML:

Field	Description
Alert Message:	The text entered here will make up the subject line of the Alert.
Alert Entity:	<p>Select from the drop down list the event that will trigger the Alert. Select from:</p> <ul style="list-style-type: none"> • 'Comment' - Upon receipt of a Comment whose Comment Type has its Alert Flag set an email will be sent. • 'Emergency' - At the Start date/time of works whose Charge Group is set to 'Emergency' (that is Emergency, Special Urgent, and Urgent types). • 'Inspection' - Upon receipt of a failed Inspection result i.e. with an Inspection Outcome with a status of 'Failed' in the Inspection Outcome lookup. • 'Notice' - Upon receipt of a Notice (as defined in the 'Alert Event' field below). • 'Notice Sequencing' - When the next Notice in a Noticing sequence is due e.g. if a One Month notice is issued in week 1, the works due to start in week 4, the effective date would be the start of week 3 when the Seven Day Notice is due. This Alert Entity only picks up Notices for EToN 1-3 Works. • 'Occupation' - The date on which an overrun begins (i.e. the Proposed End Date is reached on a Notice which is set to 'Work in Progress'). • 'Reinstatement' - Six months after an interim reinstatement (where no Permanent reinstatement has taken place). This is calculated by adding six months to the Site date of any Site carrying a Status that is flagged as 'Interim'.
Alert Event:	<p>For all Alert Entities except 'Notice', this field is set to 'On Creation' and may not be edited.</p> <p>If the Alert Entity 'Notice' is selected in the field above, it is possible to select from:</p> <ul style="list-style-type: none"> • 'Notice Expiry' - If a Notice matches the selection criteria and the specified follow-up period has expired, an Alert will be created based on the Notice Issue Date. This is intended as a reminder Alert to perform an action on the Notice e.g. send the next Notice in sequence. If the next Notice version has been

Field	Description
	<p>created but not exported, the Notice will still be considered and Alerts will be sent.</p> <ul style="list-style-type: none"> • 'Overlapping Works' - To send an Alert when a Notice is received for Works that overlap with any other Works, Events or Diversions being carried out in the Street. This is based on the Start date and end dates (Est. End or Complete) for any Works, Events or Diversions that have a Site record with the same Street. • 'Permit Response' - To send an Alert for Notices that relate to making Permit Applications, including PAA Applications and Variations. A new Notice related to Permit Applications will clear any Permit Response Alerts that are already present for the Works, and regenerate them appropriately. If a Permit Application is granted, revoked or refused, all Permit Response Alerts for the Works will be cleared. If a new Notice unrelated to Permit Applications, such as an Actual Start Notice, is received, this will have no effect on any Permit Response Alerts that are already present on the Works. Permit Date will be included in the message text. • 'Proposed Start' - To send an Alert based on the Works Start Date. Use the 'When' fields to specify when the Alert should be sent e.g. 1 day before the Proposed Start Date. • 'Revised Duration' - To send an Alert when a Notice is received in which the Estimated End date does not match the Estimated End date of the previous Notice in the sequence. A System Setting determines whether the Alert is sent in all cases, or only when the Estimated end date is later than on the previous notice. <p>Street Works Lookups\Street Works System Settings</p> <p>Note: Future dated Alerts with an Alert Event of 'Notice Expiry' and 'Proposed Start' will not be sent if subsequent Promoter Notices are created, such as Confirmation, Error Correction and Actual Start Notices. These Alerts will still be sent if only Authority Response Notices are created against the Works, such as Directions, Authority Comments and Grant Permit Notices.</p>
When:	<p>Select the period of time from the drop down, and specify 'Before' or 'After' in the following field to determine whether the Alert should be sent the selected time before or after the Alert Event.</p> <p>The drop down list references the 'Follow-up' lookup.</p>
Work Type / Notice Type / Work Status:	<p>Specify the filter criteria that need to be met in order to trigger sending the Alert.</p> <p>Alerts with an Alert Event of 'Proposed Start' will trigger if a Notice that meets the criteria specified has further Authority response Notices sent / received against it.</p>
Direction:	<p>This option will filter according to whether the Notice, Comment or Inspection has been sent or received. Select from:</p> <ul style="list-style-type: none"> • 'Both' - Both Incoming and Outgoing records will trigger this Alert Type. • 'Incoming' - The From Organisation for the Notice, Inspection or Comment is used to determine the direction. If the Organisation is not flagged as an 'Initiator' then it is an 'Incoming' record.

Field	Description
	<ul style="list-style-type: none"> • 'Outgoing' - The From Organisation for the Notice, Inspection or Comment is used to determine the direction. If the Organisation is flagged as an 'Initiator' then it is 'Outgoing' record.
Route:	Selecting a Route will cause this Alert Type to only be activated when a Notice contains at least one of the Sites in the selected Route.
EToN Version:	<p>Specify the EToN version that this Alert Type is valid for. This will check the EToN version that is in use for the recipients of a Notice. If there is more than one, the highest version will be used. Select from:</p> <ul style="list-style-type: none"> • 'Version 1 only' - This alert will only be sent if the recipient(s) use EToN version 1. • 'Version 2 and above' - This alert will be sent if the recipient(s) use EToN version 2 and above.
Notify:	<p>Select who should be notified from the drop down list:</p> <ul style="list-style-type: none"> • 'Action Officer By Route' - Any Action Officer that has any of the Sites on the Works in their Route set on the Action Officer screen. The Action Officer must be linked to a User record for the Alert to be sent. The Alert will be sent according to that User's Message Preference (None, Email, Internal or Both). <p>Inspection Lookups\Action Officer</p> <ul style="list-style-type: none"> • 'Current Notice User' - The User entered in the 'Logged By' field of the latest Street Work Occupation record. The Current user must be linked to a User record for the Alert to be sent. The Alert will be sent according to that User's Message Preference (None, Email, Internal or Both). • 'Notice Owner' - Where the Notice was originated in Confirm (rather than having been received through EToN), the Alert is sent to the contact for the originating Organisation. The Alert will be sent to the owner's Email. • 'Originating User' - The User entered in the 'Logged' field of the first Notice received in a Works Header. The Alert will be sent according to that User's Message Preference (None, Email, Internal or Both). • 'Specified User' - The user selected in the 'User Name' field below. The Alert will be sent according to that User's Message Preference (None, Email, Internal or Both).
User Name:	<p>This field is only available when 'Specified User' has been selected in the 'Notify' field above. Either type in the required User's User ID or use the pick button to search for it. The pick list references the User Security library.</p> <p>System Administration\Security</p> <p>Note: Email addresses must be entered for all Users who are to receive an Alert. If no email address is found, the Alert will be sent to the Task Processor Supervisor.</p>
Message Text:	<p>Enter here the message to be sent in the Alert email.</p> <p>Note: All messages will contain details of the Works Notice; Message Text is additional to this.</p> <p>This field supports HTML format. User need to construct an HTML message using any HTML editor and paste it in HTML form in the Message text. Like to</p>

Field	Description
Attach HTML:	enter Confirm in bold and italics, the corresponding HTML form will be “Confirm“ This will only be available where the Alert Entity is set to 'Emergency', 'Inspection' or 'Comment'. Check the box to attach an HTML version of the Emergency Notice, Defective Inspection or the Comment. This is only applies to Alerts sent by Email.

Alerts Data Sources

Data Sources can be used in two ways in configuring Alerts:

- For Enquiry Alert Types and Job Alert Types, a Notify option of Data Source may be selected for an Alert Type. The Alerts and Notifications Agent will use this Data Source when processing an Alert, to determine which Email Address(es) to send the Alert to.
- For Enquiry Alerts, a Message Data Source may be selected. This then allows the Message Text for the Alert Type to be configured using all the fields in the Data Source rather than the standard set of fields usually available.

The details of how each kind of Data Source works and must be configured are outlined below.

See **Data Sources** for general information on configuring Data Sources.

Configuring a Notify Data Source

Note: This option is currently available only for Enquiry Alert Types and Job Alert Types.

A Data Source to be used as the Notify option for an Alert Type is configured as follows:

- It must have a character column called 'Email Address' to return the destination for the Alert.
- For Enquiry Alert Types, it must have a Linked Table to either the 'Central Enquiry' or the 'Enquiry Commitment' table, depending on the Alert Entity, so that it can be retrieved for a particular record.
- For Job Alert Types, it must have a Linked Table to the 'Job' table, or alternatively a column called 'Job Number', so that it can be retrieved for a particular record.

The Data Source will be retrieved when an Alert is to be sent. If a single record is retrieved, the Alert will be sent to the Email Address contained in the 'Email Address' column. If multiple records are retrieved, the Alert will be sent to multiple Email Addresses, ignoring any repeated values and blanks.

If the Notify Data Source retrieves no records, no Alert will be sent, allowing rules of Alert applicability to be built into the Data Source definition.

Note: If the Notify Data Source retrieves more than 50 records, this is assumed to be an issue with the Data Source being configured incorrectly, and is treated as an error. In this case an email will be sent to the Agent Supervisor and no Alerts will be sent.

The example Data Source below is intended to return a list of the Email Addresses of all Councillors for the Ward where an Enquiry is located.

```
SELECT
  central_enquiry.enquiry_number,
  central_site.site_code,
  central_site.site_name,
  councillor.ward_code,
  councillor.councillor_code,
  councillor.councillor_name,
  councillor.councillor_email as email_address
FROM
  central_enquiry,
  central_site,
  councillor
WHERE
  central_site.site_code = central_enquiry.site_code AND
  central_site.ward_code = councillor.ward_code
```

Configuring a Message Data Source

Note: This option is currently available only for Enquiry Alert Types.

A Data Source to be used as the Message Data Source for an Alert Type is configured as follows:

- For Enquiry Alert Types, it must have a Linked Table to either the 'Central Enquiry' or the 'Enquiry Commitment' table, depending on the Alert Entity, so that it can be retrieved for a particular record.
- It may optionally have a Linked Table to the 'Enquiry Customer' table, so that if the Alert is being sent to 'All Enquiry Customers' the details of the message can be determined for the appropriate Customer.

The Data Source will be retrieved when an Alert is to be sent. If the Alert is to be sent to 'All Enquiry Customers' and the Data Source has a linked table to the Enquiry Customer table, that will be used to find a row for the correct Customer before the message text is built, otherwise the values in the first row will be used.

If the Message Data Source retrieves no records, no Alert will be sent, allowing rules of Alert applicability to be built into the Data Source definition and the associated Message Qualification.

Note: If the Message Data Source retrieves more than 50 records, this is assumed to be an issue with the Data Source being configured incorrectly, and is treated as an error. In this case an email will be sent to the Agent Supervisor and no Alerts will be sent.

The example Data Source below will return details of an Enquiry and its Attributes, including an example of each different type of Attribute.

```
SELECT
    central_enquiry.enquiry_number,
    central_enquiry.enquiry_desc,
    central_enquiry.enquiry_time,
    central_enquiry.enquiry_name,
    central_enquiry.service_code,
    central_enquiry.subject_code,
    type_of_service.service_name,
    enquiry_subject.subject_name,
    central_site.site_name,
    ( SELECT enquiry_attribute.param_num_value FROM enquiry_attribute
      WHERE central_enquiry.enquiry_number = enquiry_attribute.enquiry_number
    AND
      enquiry_attribute.param_type_code = 'ATTN' ) as numeric_attribute,
    ( SELECT enquiry_attribute.param_string_value FROM enquiry_attribute
      WHERE central_enquiry.enquiry_number = enquiry_attribute.enquiry_number
    AND
      enquiry_attribute.param_type_code = 'ATTT' ) as text_attribute,
    ( SELECT enquiry_attribute.param_date_value FROM enquiry_attribute
      WHERE central_enquiry.enquiry_number = enquiry_attribute.enquiry_number
    AND
      enquiry_attribute.param_type_code = 'ATTD' ) as date_attribute,
    ( SELECT parameter_value.param_value_name FROM enquiry_attribute, parameter_value
      WHERE central_enquiry.enquiry_number = enquiry_attribute.enquiry_number
    AND
      enquiry_attribute.param_type_code = parameter_value.param_type_code AND
      enquiry_attribute.param_value_code = parameter_value.param_value_code AND
      enquiry_attribute.param_type_code = 'ATTP' ) as pick_attribute
FROM
    central_enquiry,
```

```
central_site,  
enquiry_subject,  
type_of_service  
WHERE  
type_of_service.service_code = enquiry_subject.service_code AND  
enquiry_subject.service_code = central_enquiry.service_code AND  
enquiry_subject.subject_code = central_enquiry.subject_code AND  
central_site.site_code = central_enquiry.site_code
```